





# K 470 - Battery Case Universal - 40583

## Product description

- Hazardous goods packaging certified for lithium batteries UN 3480, UN 3481, UN 3090, UN 3091.
- Suitable for transporting prototypes, damaged or defective batteries, critically defective batteries and batteries for disposal and recycling.
- Also passed fire tests involving critically defective batteries with nominal capacity of over 1,384 Wh (request specification from ZARGES).
- Maximum outside temperature below 100°C, no flames or splinters escaping in the event of an accident.
- High dielectric strength, i.e. also suitable for high-performance batteries, such as those used in power tools.
- Padding and absorbent material are non-flammable, non-conductive and dust-free.
- The box is also perfect for the storage of lithium-ion batteries.
- Increased thermal protection thanks to additional heat shields.



## Hints and special features

Approved hazardous goods packaging cannot be taken back.

Usable dimensions approx. 390 x 190 x 100 mm.

## Product features

Colour of the stacking corners <b>Natural aluminium</b>	Corner beading <b>Yes</b>	Fasteners <b>Comfort fasteners</b>	Handles <b>Sprung drop handles</b>	Integrated wheels <b>No</b>
Internal dimensions L x	Material	Material of the stacking	Max. gross weight	Number of handles



W x H <b>550 mm x 350 mm x 220 mm</b>	<b>Aluminium</b>	corners <b>Aluminium</b>	dangerous goods permission <b>65 kg</b>	<b>3</b>
Outside dimensions max. L x W x H <b>600 mm x 400 mm x 250 mm</b>	Peripheral beading <b>No</b>	Seal <b>foamed lid seal</b>	Stacking corners <b>Yes</b>	Usable dimensions L x W x H <b>390mm x 190mm x 100mm</b>
Volume <b>42 l</b>	Weight <b>11.5 kg</b>			