



Eurobox

The sturdy and lightweight transportation and storage solution with distinctive blue corners and a comprehensive range of accessories.

Product description

- Blue stacking corners of impact-resistant plastic ensure safe stacking.
- The all-round foamed seal in the lid is highly durable and offers protection against dust and water splashes.
- A whole host of quality features ensure the product is sturdy and has a long service life, including fully welded profiles, corner beads and full rivets.
- Ergonomic handling due to ZARGES Comfort handles (load capacity of 50 kg) and ZARGES Comfort fasteners with extremely long service life.
- Peripheral foamed seal in the lid for protection against dust and splashwater.
- Fitted with two sturdy lid holding straps.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- Solid workmanship for a long service life and the highest stacking and carrying loads with low dead weight.
- Matched to pallet dimensions according to DIN 15 141.
- Sturdy aluminium universal box.
- Profile-section joints fully welded.
- High degree of resistance to corrosion thanks to stainless steel fittings.
- Corner beads for additional dimensional stability.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Fasteners can be retrofitted with additional spring protection against bursting open.





- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).

Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions.

Product features

| | | | | |
|---|--|---------------------------------------|---------------------------------------|--------------------------------|
| Colour of the stacking corners cyan | Corner beading Yes | Fasteners Comfort fasteners | Handles Sprung drop handles | Integrated wheels No |
| Material Aluminium | Material of the stacking corners Plastic | Peripheral beading No | Seal foamed lid seal | Stacking corners Yes |

Product variants

| | | |
|--|--|--|
| SKU 40700 | SKU 40701 | SKU 40702 |
| Internal dimensions L x W x H 350 mm x 250 mm x 310 mm | Internal dimensions L x W x H 550 mm x 350 mm x 220 mm | Internal dimensions L x W x H 550 mm x 350 mm x 310 mm |
| Outside dimensions max. L x W x H 400 mm x 300 mm x 340 mm | Outside dimensions max. L x W x H 600 mm x 400 mm x 250 mm | Outside dimensions max. L x W x H 600 mm x 400 mm x 340 mm |
| Volume 27 l | Volume 42 l | Volume 60 l |
| Weight 3 kg | Weight 4.7 kg | Weight 4.9 kg |
| SKU 40703 | SKU 40711 | SKU 40704 |



| | | |
|--|--|--|
| Internal dimensions L x W x H 550 mm x 350 mm x 380 mm | Internal dimensions L x W x H 640 mm x 230 mm x 280 mm | Internal dimensions L x W x H 750 mm x 350 mm x 310 mm |
| Outside dimensions max. L x W x H 600 mm x 400 mm x 410 mm | Outside dimensions max. L x W x H 690 mm x 280 mm x 310 mm | Outside dimensions max. L x W x H 800 mm x 400 mm x 340 mm |
| Volume 73 l | Volume 41 l | Volume 81 l |
| Weight 5.2 kg | Weight 4.5 kg | Weight 6.1 kg |
| SKU 40705 | SKU 40706 | SKU 40709 |
| Internal dimensions L x W x H 750 mm x 550 mm x 380 mm | Internal dimensions L x W x H 750 mm x 550 mm x 580 mm | Internal dimensions L x W x H 1.150 mm x 750 mm x 480 mm |
| Outside dimensions max. L x W x H 800 mm x 600 mm x 410 mm | Outside dimensions max. L x W x H 800 mm x 600 mm x 610 mm | Outside dimensions max. L x W x H 1.200 mm x 800 mm x 510 mm |
| Volume 157 l | Volume 239 l | Volume 414 l |
| Weight 7.5 kg | Weight 8.9 kg | Weight 13 kg |
| SKU 40710 | | |
| Internal dimensions L x W x H 1.150 mm x 250 mm x 220 mm | | |
| Outside dimensions max. L x W x H 1.200 mm x 300 mm x 250 mm | | |
| Volume 63 l | | |
| Weight | | |



6.3 kg