



ZARGES Box

The safe and economical transport and storage solution with compact design.

Product description

- The all-round foamed seal in the lid is highly durable and offers protection against dust and water splashes.
- Heavy-duty sprung drop handles on the short side. Order no. 40860 and 40861 feature a briefcase handle on the front side.
- Snap fasteners with plug locks. Additional locking by lead seals or padlock (max. shackle thickness 6 mm) possible.
- Sturdy black plastic corners, non-stackable
- Aluminium universal container.
- Lid with stainless steel hinges and all-round foamed seal.
- Self-holding lid.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Profile-section joints fully welded.



Hints and special features

Clearance dimensions approx. 30 mm less than inside dimensions.

Mini-Box XS – in hand-luggage format! (See No.)

Product features

Handles Sprung drop handles	Integrated wheels No	Material Aluminium	Peripheral beading No	Seal foamed lid seal
Stacking corners No				



Product variants

SKU 40860	SKU 40861	SKU 40877
Corner beading No	Corner beading Yes	Corner beading Yes
Description Mini-Box XS	Description Mini-Box	Description Mini-Box Plus
Internal dimensions L x W x H 450 mm x 290 mm x 180 mm	Internal dimensions L x W x H 550 mm x 350 mm x 220 mm	Internal dimensions L x W x H 550 mm x 350 mm x 310 mm
Outside dimensions max. L x W x H 500 mm x 340 mm x 200 mm	Outside dimensions max. L x W x H 600 mm x 400 mm x 240 mm	Outside dimensions max. L x W x H 600 mm x 400 mm x 330 mm
Volume 24 l	Volume 42 l	Volume 60 l
Weight 3.1 kg	Weight 4 kg	Weight 4.5 kg
SKU 40862	SKU 40863	
Corner beading Yes	Corner beading Yes	
Description Midi-Box	Description Maxi-Box	
Internal dimensions L x W x H 750 mm x 350 mm x 310 mm	Internal dimensions L x W x H 850 mm x 450 mm x 350 mm	
Outside dimensions max. L x W x H 800 mm x 400 mm x 330 mm	Outside dimensions max. L x W x H 900 mm x 500 mm x 370 mm	
Volume 81 l	Volume 135 l	



Weight

5.5 kg

Weight

6.9 kg