




K 475 transport and storage container, water-vapour-proof

Moisture-proof transport and storage containers.

Product description

- Steam-tight, stackable special reusable packaging of corrosion-resistant aluminium.
- Seal-welded container, tightness IP 67.
- Sturdy stacking corners on base and lid.
- Removable lid with all-round seal.
- Self-locking spring fasteners.
- Ergonomic heavy-duty sprung drop handles.
- Pressure relief valve with humidity indicator.
- RFI screening available as option.



Hints and special features

Also available as UN-approved hazardous goods packaging.


Clearance dimension for K 475 containers approx. 32 mm less than inside dimensions.

Product features

Product variants



SKU 45133	SKU 45135	SKU 45137
Internal dimensions L x W x H 360 mm × 360 mm × 265 mm	Internal dimensions L x W x H 460 mm × 460 mm × 365 mm	Internal dimensions L x W x H 560 mm × 360 mm × 265 mm
Outside dimensions max. L x W x H 400 mm × 400 mm × 300 mm	Outside dimensions max. L x W x H 500 mm × 500 mm × 400 mm	Outside dimensions max. L x W x H × ×
Volume 34 l	Volume 77 l	
Weight 5.5 kg	Weight 8.2 kg	
SKU 45138	SKU 45141	SKU 45144
Internal dimensions L x W x H 560 mm × 360 mm × 365 mm	Internal dimensions L x W x H 760 mm × 360 mm × 265 mm	Internal dimensions L x W x H 760 mm × 560 mm × 365 mm
Outside dimensions max. L x W x H 600 mm × 400 mm × 400 mm	Outside dimensions max. L x W x H 800 mm × 400 mm × 300 mm	Outside dimensions max. L x W x H × ×
Volume 74 l	Volume 73 l	
Weight 7.8 kg	Weight 9.1 kg	
SKU 45145		
Internal dimensions L x W x H 760 mm × 560 mm × 460 mm		
Outside dimensions max. L x W x H		



800 mm × 600 mm × 500 mm

Volume

196 l

Weight

16.8 kg