



K 470 Plus shipping case - hood-type container

With the K470 Plus, ZARGES is following an innovative packaging concept: a two-part transportation system, comprising an upper and a lower section. This allows you to combine elements of different heights, creating a whole new range of possibilities.

Product description

- A two-part transportation system consisting of a top and bottom section.
- The bottom part is available in two base dimensions and can be flexibly combined with top sections of different heights.
- Easy and ergonomic access to the contents via the lid or by removing the top part. This allows the contents to be easily lifted out and devices to be operated whilst they are inside the container.
- Stackable with products in the K 470 series.
- Customised versions available on request.
- Removable top section and lid with peripheral seal.
- Lid with stainless steel hinges and all-round foamed seal.
- 2 basic dimensions (550 x 350 mm and 750 x 550 mm) available as standard, special sizes available on request.
- Depending on height, beading all round and corner beading for extra stability of form.
- Stackable aluminium universal container.
- Stacking corners made from diecast aluminium ensure safe stacking.
- Profile-section joints fully welded.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.





- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.

Product features

Colour of the stacking corners Natural aluminium	Fasteners Comfort fasteners	Handles Sprung drop handles	Integrated wheels No	Material Aluminium
Material of the stacking corners Aluminium	Seal foamed lid seal	Stacking corners Yes		

Product variants

SKU 40500	SKU 40501	SKU 40502
Corner beading No	Corner beading Yes	Corner beading Yes
Description Bottom section	Description Top section: Total height with bottom section 150 mm: 370 mm	Description Top section: Total height with bottom section 150 mm: 530 mm
Internal dimensions L x W x H 550 mm x 350 mm x 150 mm	Internal dimensions L x W x H 550 mm x 350 mm x 230 mm	Internal dimensions L x W x H 550 mm x 350 mm x 390 mm
Outside dimensions max. L x W x H 600 mm x 400 mm x 180 mm	Outside dimensions max. L x W x H 600 mm x 400 mm x 250 mm	Outside dimensions max. L x W x H 600 mm x 400 mm x 410 mm
Peripheral beading No	Peripheral beading No	Peripheral beading Yes
Volume 29 l	Volume 42 l	Volume 73 l
Weight	Weight	



2.6 kg	4 kg	Weight 4.7 kg
SKU 40503	SKU 40504	SKU 40505
Corner beading No	Corner beading Yes	Corner beading Yes
Description Bottom section	Description Bottom section	Description Top section: Total height 530 and 600 mm respectively
Internal dimensions L x W x H 750 mm x 550 mm x 150 mm	Internal dimensions L x W x H 750 mm x 550 mm x 220 mm	Internal dimensions L x W x H 750 mm x 550 mm x 390 mm
Outside dimensions max. L x W x H 800 mm x 600 mm x 180 mm	Outside dimensions max. L x W x H 800 mm x 600 mm x 250 mm	Outside dimensions max. L x W x H 800 mm x 600 mm x 410 mm
Peripheral beading No	Peripheral beading No	Peripheral beading Yes
Volume 62 l	Volume 91 l	Volume 157 l
Weight 4.8 kg	Weight 5.5 kg	Weight 8.6 kg
SKU 40506		
Corner beading Yes		
Description Top section: Total height 730 and 800 mm respectively		
Internal dimensions L x W x H 750 mm x 550 mm x 590 mm		



Outside dimensions max. L x W x H

800 mm x 600 mm x 610 mm

Peripheral beading

Yes

Volume

240 l

Weight

10.5 kg