



Mitraset Racklite 19" housing

Housing for electronic instruments

Product description

- Designed to hold electronic equipment in a 19" grid in accordance with VG 95446
- Variable designs with different depths and heights.
- Comprehensive range of special fittings for many applications.
- Elastic stacking elements on housing and lid corners.
- Protection rating IP 65 in accordance with DIN EN 60529 and IEC 34-5/529 as a result of welded casing and lid with all-round seal.
- Up to 15% weight saving compared with Mitraset Classic.
- The anti-vibration frame is connected to the housing via 8 rubber dampers and 2 earth straps.
- Items with same nominal depth are stackable.
- Shielding efficiency to MIL-STD-285
- Snap fasteners with protection against bursting open.
- ZARGES Comfort handles for ergonomic handling and loads of up to 50 kg.
- Seal-welded version made from high-strength aluminium sheets and profiles.



Product features

Product variants

SKU	SKU	SKU
45893	45894	45895
Installation height	Installation height	Installation height



3 HE/U	4 HE/U	5 HE/U
Nominal depth 350 mm	Nominal depth 350 mm	Nominal depth 350 mm
Outside dimensions max. L x W x H 468 mm x 591 mm x 271,5 mm	Outside dimensions max. L x W x H 468 mm x 591 mm x 316 mm	Outside dimensions max. L x W x H 468 mm x 591 mm x 360,5 mm
Weight 9.1 kg	Weight 9.7 kg	Weight 10.1 kg
SKU 45896	SKU 45897	SKU 45898
Installation height 6 HE/U	Installation height 7 HE/U	Installation height 8 HE/U
Nominal depth 350 mm	Nominal depth 350 mm	Nominal depth 350 mm
Outside dimensions max. L x W x H 468 mm x 591 mm x 405 mm	Outside dimensions max. L x W x H 468 mm x 591 mm x 449,5 mm	Outside dimensions max. L x W x H 468 mm x 591 mm x 494 mm
Weight 10.4 kg	Weight 10.7 kg	Weight 11 kg
SKU 45899	SKU 45900	SKU 45901
Installation height 9 HE/U	Installation height 10 HE/U	Installation height 11 HE/U
Nominal depth 350 mm	Nominal depth 350 mm	Nominal depth 350 mm
Outside dimensions max. L x W x H 468 mm x 591 mm x 538,5 mm	Outside dimensions max. L x W x H 468 mm x 591 mm x 583 mm	Outside dimensions max. L x W x H 468 mm x 591 mm x 627,5 mm
Weight 11.4 kg	Weight 11.7 kg	Weight 12 kg



SKU 45902	SKU 45903	SKU 45904
Installation height 12 HE/U	Installation height 3 HE/U	Installation height 4 HE/U
Nominal depth 350 mm	Nominal depth 480 mm	Nominal depth 480 mm
Outside dimensions max. L x W x H 468 mm x 591 mm x 672 mm	Outside dimensions max. L x W x H 598 mm x 591 mm x 271,5 mm	Outside dimensions max. L x W x H 598 mm x 591 mm x 316 mm
Weight 12.4 kg	Weight 10.5 kg	Weight 11.2 kg
SKU 45905	SKU 45906	SKU 45907
Installation height 5 HE/U	Installation height 6 HE/U	Installation height 7 HE/U
Nominal depth 480 mm	Nominal depth 480 mm	Nominal depth 480 mm
Outside dimensions max. L x W x H 598 mm x 591 mm x 360,5 mm	Outside dimensions max. L x W x H 598 mm x 591 mm x 405 mm	Outside dimensions max. L x W x H 598 mm x 591 mm x 449,5 mm
Weight 11.6 kg	Weight 11.9 kg	Weight 12.3 kg
SKU 45908	SKU 45909	SKU 45910
Installation height 8 HE/U	Installation height 9 HE/U	Installation height 10 HE/U
Nominal depth 480 mm	Nominal depth 480 mm	Nominal depth 480 mm
Outside dimensions max. L x W x H	Outside dimensions max. L x W x H	Outside dimensions max. L x W x H



598 mm × 591 mm × 494 mm	598 mm × 591 mm × 538,5 mm	598 mm × 591 mm × 583 mm
Weight 12.7 kg	Weight 13.1 kg	Weight 13.4 kg
SKU 45911	SKU 45912	SKU 45913
Installation height 11 HE/U	Installation height 12 HE/U	Installation height 3 HE/U
Nominal depth 480 mm	Nominal depth 480 mm	Nominal depth 610 mm
Outside dimensions max. L x W x H 598 mm × 591 mm × 627,5 mm	Outside dimensions max. L x W x H 598 mm × 591 mm × 672 mm	Outside dimensions max. L x W x H 728 mm × 591 mm × 271,5 mm
Weight 13.8 kg	Weight 13.8 kg	Weight 11.8 kg
SKU 45914	SKU 45915	SKU 45916
Installation height 4 HE/U	Installation height 5 HE/U	Installation height 6 HE/U
Nominal depth 610 mm	Nominal depth 610 mm	Nominal depth 610 mm
Outside dimensions max. L x W x H 728 mm × 591 mm × 316 mm	Outside dimensions max. L x W x H 728 mm × 591 mm × 360,5 mm	Outside dimensions max. L x W x H 728 mm × 591 mm × 405 mm
Weight 12.5 kg	Weight 12.9 kg	Weight 13.3 kg
SKU 45917	SKU 45918	SKU 45919
Installation height 7 HE/U	Installation height 8 HE/U	Installation height 9 HE/U



Nominal depth 610 mm	Nominal depth 610 mm	Nominal depth 610 mm
Outside dimensions max. L x W x H 728 mm x 591 mm x 449,5 mm	Outside dimensions max. L x W x H 728 mm x 591 mm x 494 mm	Outside dimensions max. L x W x H 728 mm x 591 mm x 538,5 mm
Weight 13.7 kg	Weight 14.2 kg	Weight 14.6 kg
SKU 45920	SKU 45921	SKU 45922
Installation height 10 HE/U	Installation height 11 HE/U	Installation height 12 HE/U
Nominal depth 610 mm	Nominal depth 610 mm	Nominal depth 610 mm
Outside dimensions max. L x W x H 728 mm x 591 mm x 583 mm	Outside dimensions max. L x W x H 728 mm x 591 mm x 627 mm	Outside dimensions max. L x W x H 728 mm x 591 mm x 672 mm
Weight 15 kg	Weight 15.4 kg	Weight 15.8 kg
SKU 45923	SKU 45924	SKU 45925
Installation height 3 HE/U	Installation height 4 HE/U	Installation height 5 HE/U
Nominal depth 762 mm	Nominal depth 762 mm	Nominal depth 762 mm
Outside dimensions max. L x W x H 880 mm x 591 mm x 271,5 mm	Outside dimensions max. L x W x H 880 mm x 591 mm x 316 mm	Outside dimensions max. L x W x H 880 mm x 591 mm x 360,5 mm
Weight 13.3 kg	Weight 14 kg	Weight 14.5 kg
SKU	SKU	SKU



45926	45927	45928
Installation height 6 HE/U	Installation height 7 HE/U	Installation height 8 HE/U
Nominal depth 762 mm	Nominal depth 762 mm	Nominal depth 762 mm
Outside dimensions max. L x W x H 880 mm x 591 mm x 405 mm	Outside dimensions max. L x W x H 880 mm x 591 mm x 449,5 mm	Outside dimensions max. L x W x H 880 mm x 591 mm x 494 mm
Weight 15 kg	Weight 15.4 kg	Weight 15.9 kg
SKU 45929	SKU 45930	SKU 45931
Installation height 9 HE/U	Installation height 10 HE/U	Installation height 11 HE/U
Nominal depth 762 mm	Nominal depth 762 mm	Nominal depth 762 mm
Outside dimensions max. L x W x H 880 mm x 591 mm x 538,5 mm	Outside dimensions max. L x W x H 880 mm x 591 mm x 583 mm	Outside dimensions max. L x W x H 880 mm x 591 mm x 627,5 mm
Weight 16.4 kg	Weight 16.8 kg	Weight 17.3 kg
SKU 45932		
Installation height 12 HE/U		
Nominal depth 762 mm		
Outside dimensions max. L x W x H 880 mm x 591 mm x 627 mm		



Weight

17.8 kg