



Stella L

The flexible solution for a wide variety of uses: extra-wide ladder is comfortable to use and safe to stand on.

Product description

- The flexible solution for a wide variety of uses: extra-wide ladder is comfortable to use and safe to stand on.
- Very light but still extremely stable.
- Also available as a shelf-ladder.
- Rung depth: 30 mm
- Outside width: 490 mm.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.
- High strength, non-twist rung/stile connections.
- Rungs and stiles made from extruded aluminium sections.



Hints and special features

Complies with EN 131 Professional.

Product features

Coating natural	Connection Stile-Rung flanged	Load capacity max. 150 kg	Material Aluminium	Pitch rung/tread 270 mm
Standards EN 131 professional	Tread depth 30 mm	Type rung/tread serrated	Warranty 10 years	

Product variants

SKU 41511	SKU 41512	SKU 41513
Number of rungs 6	Number of rungs 8	Number of rungs 10



Overall length 1.93 m	Overall length 2.49 m	Overall length 3.05 m
Stile depth 58 mm	Stile depth 58 mm	Stile depth 58 mm
Transport dimensions 1.930 mm × approx. 500 mm × 60 mm	Transport dimensions 2.480 mm × approx. 500 mm × 60 mm	Transport dimensions 3.040 mm × approx. 500 mm × 60 mm
Weight 3.7 kg	Weight 4.7 kg	Weight 7.2 kg
Working height 2.8 m	Working height 3.35 m	Wide crosspiece 0.8 m
		Working height 3.9 m
SKU 41514	SKU 41515	SKU 41516
Number of rungs 12	Number of rungs 14	Number of rungs 16
Overall length 3.61 m	Overall length 4.17 m	Overall length 4.73 m
Stile depth 58 mm	Stile depth 68 mm	Stile depth 68 mm
Transport dimensions 3.600 mm × approx. 500 mm × 60 mm	Transport dimensions 4.160 mm × approx. 500 mm × 65 mm	Transport dimensions 4.720 mm × approx. 500 mm × 70 mm
Weight 8.1 kg	Weight 9.3 kg	Weight 10.5 kg
Wide crosspiece 0.89 m	Wide crosspiece 0.99 m	Wide crosspiece 0.99 m



Working height 4.4 m	Working height 4.95 m	Working height 5.5 m
SKU 41510	SKU 41517	SKU 41518
Number of rungs 18	Number of rungs 20	Number of rungs 24
Overall length 5.29 m	Overall length 5.86 m	Overall length 6.98 m
Stile depth 73 mm	Stile depth 73 mm	Stile depth 85 mm
Transport dimensions 5.300 mm × approx. 500 mm × 75 mm	Transport dimensions 5.850 mm × approx. 500 mm × 75 mm	Transport dimensions 6.980 mm × approx. 500 mm × 85 mm
Weight 11.9 kg	Weight 13.2 kg	Weight 16 kg
Wide crosspiece 1.09 m	Wide crosspiece 1.09 m	Wide crosspiece 1.2 m
Working height 6.05 m	Working height 6.6 m	Working height 7.7 m