



Nova S

The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.

Product description

- The classic model for safe standing and comfortable working, with a practical storage tray and high-stability patented rung-stile connection.
- Large platform with anti-slip ribbing.
- Practical tray with plenty of space for tools and small items.
- 80 mm deep surfaces to stand on.
- Strong Perlon rung hooks and rung locking mechanism, from 7 rungs.
- Patented tread construction: robust, stable, durable, flanged rung-stile connection.
- The extruded aluminium sections give the platform optimum stability.
- Two extruded section bridge raisers.
- Firm positioning thanks to anti-slip plastic end caps.
- Enclosed rung profile and integrated guide tube.



Hints and special features

Complies with EN 131 Professional.

Product features

Coating natural	Connection Stile-Rung flanged	Load capacity max. 150 kg	Material Aluminium	Pitch rung/tread 216 mm
Platform length 250 mm	Platform width 250 mm	Standards EN 131 professional	Stile depth 48 mm	Stile depth 48 mm
Stile depth steps/back stay 48mm / 48mm	Tray Plastic	Tread depth 80 mm	Type rung/tread serrated	Warranty 10 years



Product variants

SKU 42453	SKU 42454	SKU 42455
Base 0,69 m × 0,42 m	Base 0,84 m × 0,44 m	Base 0,99 m × 0,46 m
Number of rungs, incl. platform 3	Number of rungs, incl. platform 4	Number of rungs, incl. platform 5
Overall base width 0.42 m	Overall base width 0.44 m	Overall base width 0.46 m
Overall length 1.34 m	Overall length 1.57 m	Overall length 1.8 m
Platform height 0.61 m	Platform height 0.83 m	Platform height 1.05 m
Transport dimensions 1.350 mm × 420 mm × 120 mm	Transport dimensions 1.580 mm × 440 mm × 120 mm	Transport dimensions 1.810 mm × 470 mm × 120 mm
Vertical ladder height 1.22 m	Vertical ladder height 1.43 m	Vertical ladder height 1.65 m
Weight 4.8 kg	Weight 5.8 kg	Weight 6.9 kg
Working height 2.6 m	Working height 2.85 m	Working height 3.05 m
SKU 42456	SKU 42457	SKU 42458
Base 1,14 m × 0,49 m	Anti splay Belt strap	Anti splay Belt strap



Number of rungs, incl. platform 6	Base 1,28 m × 0,51 m	Base 1,44 m × 0,54 m
Overall base width 0.49 m	Number of rungs, incl. platform 7	Number of rungs, incl. platform 8
Overall length 2.03 m	Overall base width 0.51 m	Overall base width 0.54 m
Platform height 1.26 m	Overall length 2.26 m	Overall length 2.49 m
Transport dimensions 2.060 mm × 490 mm × 120 mm	Platform height 1.48 m	Platform height 1.7 m
Vertical ladder height 1.86 m	Transport dimensions 2.270 mm × 520 mm × 120 mm	Transport dimensions 2.500 mm × 540 mm × 120 mm
Weight 8 kg	Vertical ladder height 2.08 m	Vertical ladder height 2.29 m
Working height 3.25 m	Weight 9.1 kg	Weight 10.2 kg
	Working height 3.5 m	Working height 3.7 m