



Nova B

Flexible access equipment for safe ascent and working at heights of up to 3.65 metres.

Product description

- Flexible access equipment for safe ascent and working at heights of up to 3.65 metres.
- Patented tread construction: robust, stable, durable, flanged rung-stile connection.
- 80 mm deep surfaces to stand on.
- Strong Perlon straps.
- Strong steel hinges.
- Firm positioning thanks to anti-slip plastic end caps.
- Enclosed rung profile and integrated guide tube.



Hints and special features

Complies with EN 131 Professional.



Product features

Anti splay Belt strap	Coating natural	Connection Stile-Rung flanged	Load capacity max. 150 kg	Material Aluminium
Pitch rung/tread 216 mm	Standards EN 131 professional	Stile depth 48 mm	Tread depth 80 mm	Type rung/tread serrated
Warranty 10 years				

Product variants



SKU 42463	SKU 42464	SKU 42465
Base 0,6 m × 0,44 m	Base 0,74 m × 0,47 m	Base 0,91 m × 0,49 m
Number of treads 2 × 3	Number of treads 2 × 4	Number of treads 2 × 5
Overall base width 0.44 m	Overall base width 0.47 m	Overall base width 0.48 m
Overall length 0.68 m	Overall length 0.91 m	Overall length 1.15 m
Transport dimensions 680 mm × 440 mm × 140 mm	Transport dimensions 920 mm × 470 mm × 140 mm	Transport dimensions 1.150 mm × 490 mm × 140 mm
Vertical ladder height 0.64 m	Vertical ladder height 0.85 m	Vertical ladder height 1.07 m
Weight 5.8 kg	Weight 8.1 kg	Weight 10.2 kg
Working height 2.1 m	Working height 2.3 m	Working height 2.55 m
SKU 42466	SKU 42467	SKU 42468
Base 1,1 m × 0,52 m	Base 1,27 m × 0,54 m	Base 1,43 m × 0,56 m
Number of treads 2 × 6	Number of treads 2 × 7	Number of treads 2 × 8
Overall base width 0.52 m	Overall base width 0.54 m	Overall base width 0.56 m
Overall length 1.37 m	Overall length 1.61 m	Overall length 1.84 m



Transport dimensions 1.380 mm × 520 mm × 140 mm	Transport dimensions 1.610 mm × 540 mm × 140 mm	Transport dimensions 1.840 mm × 620 mm × 170 mm
Vertical ladder height 1.29 m	Vertical ladder height 1.5 m	Vertical ladder height 1.72 m
Weight 12.4 kg	Weight 14.6 kg	Weight 16.9 kg
Working height 2.75 m	Working height 3 m	Working height 3.2 m
SKU 42470		
Base 1,78 m × 0,61 m		
Number of treads 2 × 10		
Overall base width 0.61 m		
Overall length 2.3 m		
Transport dimensions 2.300 mm × 610 mm × 140 mm		
Vertical ladder height 2.15 m		
Weight 21.5 kg		
Working height 3.65 m		