



XLstep B

Low weight and optimum price/performance ratio without compromising on comfort or equipment.

Product description

- Low weight and optimum price/performance ratio without compromising on comfort or equipment.
- Stand without fatigue on deep treads.
- Treads with a depth of 80 mm for fatigue-free standing.
- Abrasion-resistant, anodised stiles.
- High-strength perlon belts prevent splay.
- Triple-riveted connection between treads and stiles.
- Treads and stiles made from extruded aluminium sections.



Hints and special features

Complies with EN 131 Professional.

Product features

Anti splay Belt strap	Coating anodised	Connection Stile-Rung riveted	Load capacity max. 150 kg	Material Aluminium
Pitch rung/tread 250 mm	Standards EN 131 professional	Tread depth 80 mm	Type rung/tread serrated	Warranty 10 years

Product variants

SKU 41263	SKU 41264	SKU 41265
Base 0,72 m x 0,44 m	Base 0,92 m x 0,47 m	Base 1,12 m x 0,5 m



Number of treads 2 x 3	Number of treads 2 x 4	Number of treads 2 x 5
Overall base width 0.44 m	Overall base width 0.47 m	Overall base width 0.5 m
Overall length 0.82 m	Overall length 1.09 m	Overall length 1.36 m
Stile depth 42 mm	Stile depth 42 mm	Stile depth 42 mm
Transport dimensions 820 mm x 440 mm x 170 mm	Transport dimensions 1.090 mm x 470 mm x 170 mm	Transport dimensions 1.360 mm x 500 mm x 170 mm
Vertical ladder height 0.74 m	Vertical ladder height 0.99 m	Vertical ladder height 1.24 m
Weight 2.6 kg	Weight 3.4 kg	Weight 4.5 kg
Working height 2.25 m	Working height 2.5 m	Working height 2.75 m
SKU 41266	SKU 41267	SKU 41268
Base 1,32 m x 0,53 m	Base 1,54 m x 0,56 m	Base 1,74 m x 0,59 m
Number of treads 2 x 6	Number of treads 2 x 7	Number of treads 2 x 8
Overall base width 0.53 m	Overall base width 0.56 m	Overall base width 0.59 m
Overall length 1.63 m	Overall length 1.9 m	Overall length 2.17 m
Stile depth 42 mm	Stile depth 48 mm	Stile depth 48 mm



Transport dimensions 1.630 mm × 530 mm × 170 mm	Transport dimensions 1.900 mm × 560 mm × 170 mm	Transport dimensions 2.170 mm × 590 mm × 170 mm
Vertical ladder height 1.49 m	Vertical ladder height 1.74 m	Vertical ladder height 1.99 m
Weight 6.1 kg	Weight 8.3 kg	Weight 11.3 kg
Working height 3 m	Working height 3.25 m	Working height 3.5 m
SKU 41270		
Base 2,15 m × 0,64 m		
Number of treads 2 × 10		
Overall base width 0.64 m		
Overall length 2.71 m		
Stile depth 48 mm		
Transport dimensions 2.710 mm × 640 mm × 170 mm		
Vertical ladder height 2.49 m		
Weight 15.8 kg		
Working height		



4 m