



Combimaster DX

The inexpensive alternative for universal use as a pushup ladder and stepladder.

Product description

- The inexpensive alternative for universal use as a push-up ladder and stepladder.
- Robust extruded-section triangular rungs with step horizontal in working position.
- Can be used as a 2-part push-up ladder or as a ladder with double-sided access.
- Strong Perlon straps.
- With cross-tube for stability.
- High strength, non-twist rung/stile connections.
- Stiles and guide fittings of extruded aluminium sections for maximum safety.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.









Hints and special features

Complies with EN 131 Professional.

Product features

Base 1,64 m × 0,89 m	Coating natural	Connection Stile-Rung flanged	Load capacity max. 150 kg	Material Aluminium
Pitch rung/tread 265 mm	Standards EN 131 professional	Tread depth 38 mm	Type rung/tread serrated	Warranty 10 years

Product variants

SKU	SKU	SKU
44868	44870	44872

ZARGES GmbH Zargesstraße 7

Tel: +49 (0)881-687-100 Fax: +49 (0)881-687-500 www.zarges.com zarges@zarges.de





Length as trestle 2.25 m	Length as trestle 2.81 m	Length as trestle 3.33 m
Number of rungs 2 × 8	Number of rungs 2 × 10	Number of rungs 2 × 12
Overall length, extended 3.82 m	Overall length, extended 4.94 m	Overall length, extended 6.06 m
Overall length, retracted 2.4 m	Overall length, retracted 2.98 m	Overall length, retracted 3.54 m
Stile depth 58 mm	Stile depth 68 mm	Stile depth 73 mm
Transport dimensions 2.400 mm × 420 mm × 120 mm	Transport dimensions 2.970 mm × 430 mm × 120 mm	Transport dimensions 3.530 mm × 430 mm × 130 mm
Weight 10 kg	Weight 12.3 kg	Weight 15.3 kg
Wide crosspiece 0.89 m	Wide crosspiece 0.9 m	Wide crosspiece 1 m
Working height 4.9 m	Working height 5.7 m	Working height 6.8 m
SKII		

SKU

44874

Length as trestle

3.86 m

Number of rungs

 2×14

Overall length, extended

6.9 m

Overall length, retracted

4.1 m

82362 Weilheim





Stile depth

85 mm

Transport dimensions

4.090 mm × 430 mm × 135 mm

Weight

18.2 kg

Wide crosspiece

1.1 m

Working height

7.6 m

82362 Weilheim