



Roof safety hooks to DIN EN 517

Product description

- At least two roof safety hooks are needed in staggered arrangement to ensure secure fastening. For ladders up to 4.20 m in length, two load-bearing roof safety hooks are needed.
- For each additional ladder section of 2.00 / 2.80 m in length, one extra hook is required; for a length of 4.20 m, two extra hooks will be needed.



Hints and special features

Supporting safety roof hooks must be fitted centrally on the rafters. Smallest rafter circumference: 60 x 80 mm.

Product features

Warranty

Missing translation

Product variants

SKU 40969	SKU 40490	SKU 40970
Colour Steel, galvanised	Colour Copper-brown	Colour Brick-red
Material Steel, galvanised	Material Powder-coated steel	Material Powder-coated steel
Transport dimensions 450 mm × 210 mm × 30 mm	Transport dimensions 430 mm × 200 mm × 30 mm	Transport dimensions 450 mm × 210 mm × 30 mm
Version	Version	Version



for pantiles and double depression interlocking ti	for pantiles and double depression interlocking ti	for pantiles and double depression interlocking ti
Weight 1.2 kg	Weight 1.1 kg	Weight 1.2 kg
SKU 40967	SKU 41399	SKU 41386
Colour brown	Colour Anthracite grey	Colour Steel, galvanised
Material Powder-coated steel	Material Powder-coated steel	Material Steel, galvanised
Transport dimensions 450 mm × 210 mm × 30 mm	Transport dimensions 450 mm × 200 mm × 30 mm	Transport dimensions 430 mm × 190 mm × 30 mm
Version for pantiles and double depression interlocking ti	Version for pantiles and double depression interlocking ti	Version for plain tiles
Weight 1.2 kg	Weight 1.2 kg	Weight 1 kg
SKU 40492	SKU 41387	SKU 41388
Colour Copper-brown	Colour Brick-red	Colour brown
Material Powder-coated steel	Material Powder-coated steel	Material Powder-coated steel
Transport dimensions 430 mm × 200 mm × 30 mm	Transport dimensions 420 mm × 200 mm × 30 mm	Transport dimensions 430 mm × 190 mm × 30 mm
Version for plain tiles	Version for plain tiles	Version for plain tiles
Weight	Weight	Weight



1.2 kg	1 kg	1 kg
SKU		
41389		
Colour		
Anthracite grey		
Material		
Powder-coated steel		
Transport dimensions		
430 mm × 190 mm × 30 mm		
Version		
for plain tiles		
Weight		
1 kg		