



Plazastep P

The flexible alternative for safe standing and an optimum price/performance ratio.

Product description

- The flexible alternative for safe standing and an optimum price/performance ratio.
- Collapsible for extra compactness.
- Large steps for safe and comfortable standing.
- Safety bar with practical storage tray, optional on the 3-step variant, attached as standard on the 4- or 5-step variant.
- Order Nos. 41493 and 41494 with castors as standard, for easy movement of the steps.
- Light-alloy treads 205 x 360 mm for safe and comfortable standing.
- Stile ends with plastic edge finish.



Hints and special features

Folds to a compact size for transport and storage.

Complies with EN 14 183

Product features

Coating natural	Load capacity max. 150 kg	Material Aluminium	Pitch rung/tread 220 mm	Platform length 205 mm
Platform width 360 mm	Standards EN 14183	Stile depth 68 mm	Tray Plastic	Tread depth 205 mm
Type rung/tread serrated	Warranty 10 years			

Product variants

SKU	SKU	SKU
-----	-----	-----



41490	41491	41493
Number of rungs, incl. platform 2	Number of rungs, incl. platform 3	Number of rungs, incl. platform 3
Overall base width 0.55 m	Overall base width 0.57 m	Overall base width 0.57 m
Platform height 0.44 m	Platform height 0.66 m	Platform height 0.66 m
Safety bow No	Safety bow No	Safety bow Yes
Transport dimensions 770 mm × 530 mm × 70 mm	Transport dimensions 1.080 mm × 550 mm × 70 mm	Transport dimensions 1.070 mm × 550 mm × 110 mm
Weight 4.7 kg	Weight 7 kg	Weight 8.5 kg
Working height 2.45 m	Working height 2.65 m	Working height 2.65 m
SKU 41494	SKU 41495	
Number of rungs, incl. platform 4	Number of rungs, incl. platform 5	
Overall base width 0.59 m	Overall base width 0.6 m	
Platform height 0.88 m	Platform height 1.1 m	
Safety bow Yes	Safety bow Yes	
Transport dimensions 1.380 mm × 575 mm × 115 mm	Transport dimensions 1.710 mm × 630 mm × 140 mm	



Weight

10.5 kg

Working height

2.9 m

Weight

13 kg

Working height

3.1 m