



AMA P

The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.

Product description

- The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.
- Modular design for changing or expanding configurations at any time – as mobile or stationary walkways.
- Lightweight for quick and easy handling.
- Extremely robust, torsion-resistant, corrosion-proof aluminium alloy structure.
- Two-step basic module with up to three add-on steps, suitable for mobile applications.
- Wide range of accessories for stationary or mobile applications.
- Add-on modules in four different heights.
- Comfortable, safe steps (555 x 250 mm) made from serrated aluminium sheet.



Hints and special features

Complies with EN 14 183

Product features

Coating natural	Connection Stile-Rung welded	Load capacity max. 150 kg	Material Aluminium	Pitch rung/tread 200 mm
Platform length 250 mm	Platform width 555 mm	Standards EN 14183	Tread depth 250 mm	Type rung/tread serrated
Warranty 10 years				



Product variants

SKU 40261	SKU 40260	SKU 40262
Module combination A	Module combination B	Module combination B + C
Module, individual Module A	Module, individual Module B	Module, individual Module C
Overall platform depth 0.3 m	Overall platform depth 0.55 m	Overall platform depth 0.8 m
Platform height 0.2 m	Platform height 0.4 m	Platform height 0.4 m
Total max. weight 2.9 kg	Total max. weight 4.8 kg	Total max. weight 8.7 kg
Transport dimensions 580 mm × 290 mm × 200 mm	Transport dimensions 620 mm × 550 mm × 400 mm	Transport dimensions 610 mm × 280 mm × 380 mm
Weight 2.9 kg	Weight 4.8 kg	Weight 3.9 kg
Working height 2.2 m	Working height 2.4 m	Working height 2.4 m
SKU 40263	SKU 40264	SKU 40265
Module combination B + D	Module combination B + D + E	Module combination B + D + E + F
Module, individual Module D	Module, individual Module E	Module, individual Module F
Overall platform depth 0.8 m	Overall platform depth 1.05 m	Overall platform depth 1.3 m



Platform height 0.6 m	Platform height 0.8 m	Platform height 0.99 m
Total max. weight 9.2 kg	Total max. weight 14 kg	Total max. weight 19.5 kg
Transport dimensions 630 mm × 290 mm × 590 mm	Transport dimensions 660 mm × 290 mm × 790 mm	Transport dimensions 690 mm × 290 mm × 980 mm
Weight 4.4 kg	Weight 4.8 kg	Weight 5.5 kg
Working height 2.6 m	Working height 2.8 m	Working height 2.99 m