



# Mobile access steps with platform, single-sided access, with steel open-grid treads and platform

The flexible access solution with open-grid treads for improved non-slip performance in wet-room applications.

## Product description

- The flexible access solution with open-grid treads for improved non-slip performance in wet-room applications.
- Quick and easy assembly thanks to the new connecting elements.
- Mobile and ready for operation in no time with four sprung swivel castors (two of each with brakes).
- Maximum safety through platform railing at a height of 1.00 m on three sides.
- Comfortable ascent through treads with a depth of 200 mm.
- Spacious platform, 600 x 800 mm.
- Maximum loading capacity 150 kg.



## Hints and special features

Double-sided handrail in accordance with EN 131-7 on access optional.

Complies with EN 131-7

## Product features

Coating <b>natural</b>	Connection Stile-Rung <b>welded</b>	Guardrail height <b>1000 mm</b>	Load capacity <b>max. 150 kg</b>	Material <b>Aluminum/steel, galvanised</b>
Pitch rung/tread <b>240 mm</b>	Platform length <b>800 mm</b>	Platform width <b>600 mm</b>	Standards <b>EN 131-7</b>	Tread depth <b>200 mm</b>



Type rung/tread	Warranty
<b>Open-grid surface</b>	<b>10 years</b>

## Product variants

SKU <b>41951</b>	SKU <b>41952</b>	SKU <b>41953</b>
Base <b>0,77 m × 1,27 m</b>	Base <b>0,82 m × 1,45 m</b>	Base <b>0,87 m × 1,63 m</b>
Number of rungs, incl. platform <b>3</b>	Number of rungs, incl. platform <b>4</b>	Number of rungs, incl. platform <b>5</b>
Platform height <b>0.72 m</b>	Platform height <b>0.96 m</b>	Platform height <b>1.2 m</b>
Transport dimensions <b>1.150 mm × 780 mm × 350 mm</b>	Transport dimensions <b>1.350 mm × 830 mm × 410 mm</b>	Transport dimensions <b>1.500 mm × 890 mm × 410 mm</b>
Weight <b>41.5 kg</b>	Weight <b>47.5 kg</b>	Weight <b>53.6 kg</b>
Working height <b>2.7 m</b>	Working height <b>2.95 m</b>	Working height <b>3.2 m</b>
SKU <b>41954</b>	SKU <b>41955</b>	SKU <b>41956</b>
Base <b>0,93 m × 1,81 m</b>	Base <b>0,98 m × 1,99 m</b>	Base <b>1,03 m × 2,17 m</b>
Number of rungs, incl. platform <b>6</b>	Number of rungs, incl. platform <b>7</b>	Number of rungs, incl. platform <b>8</b>
Platform height <b>1.44 m</b>	Platform height <b>1.68 m</b>	Platform height <b>1.92 m</b>



Transport dimensions <b>1.820 mm × 930 mm × 350 mm</b>	Transport dimensions <b>1.920 mm × 990 mm × 350 mm</b>	Transport dimensions <b>2.220 mm × 1.130 mm × 350 mm</b>
Weight <b>59.7 kg</b>	Weight <b>66 kg</b>	Weight <b>72.9 kg</b>
Working height <b>3.45 m</b>	Working height <b>3.7 m</b>	Working height <b>3.9 m</b>