



Horizontal stabiliser bar

Product description

- Attachment with M8 screw.
- Further dimensions on request

Hints and special features

Due to design modifications, it is necessary to note not only the ladder type but also always the outside dimension of the stiles.



Product features

Drilling diameter


15,2 mm (M8)

Warranty

Missing translation

Product variants

SKU 823871	SKU 800543	SKU 823872
Bore spacing 325mm	Bore spacing 325mm	Bore spacing 395mm
Length 745 mm	Length 890 mm	Length 745 mm
Stile dimensions 58 mm × 25 mm	Stile dimensions 58 mm × 25 mm	Stile dimensions 58 mm × 25 mm
Weight 0.7 kg	Weight 0.8 kg	Weight 0.7 kg



SKU 800544	SKU 800545	SKU 800546
Bore spacing 395mm	Bore spacing 395mm	Bore spacing 395mm
Length 790 mm	Length 900 mm	Length 1085 mm
Stile dimensions 58 mm × 25 mm	Stile dimensions 58 mm × 25 mm	Stile dimensions 58 mm × 25 mm
Weight 0.8 kg	Weight 0.8 kg	Weight 0.9 kg
SKU 823879	SKU 800547	SKU 800548
Bore spacing 465mm	Bore spacing 325mm	Bore spacing 325mm
Length 745 mm	Length 890 mm	Length 1085 mm
Stile dimensions 58 mm × 25 mm	Stile dimensions 73 mm × 25 mm	Stile dimensions 73 mm × 25 mm
Weight 0.7 kg	Weight 0.9 kg	Weight 1 kg
SKU 823877	SKU 800542	SKU 823475
Bore spacing 395mm	Bore spacing 395mm	Bore spacing 465mm
Length 890 mm	Length 1200 mm	Length 1000 mm
Stile dimensions	Stile dimensions	Stile dimensions



73 mm × 25 mm	73 mm × 25 mm	73 mm × 25 mm
Weight	Weight	Weight
0.9 kg	1 kg	0.9 kg
SKU		
823981		
Bore spacing		
465mm		
Length		
1200 mm		
Stile dimensions		
73 mm × 25 mm		
Weight		
1 kg		