



Well covers, round

Product description

- Lid made from sheet metal, 2.5 mm thick, elevated in the centre, with internal transverse bracing
- From 800 × 800 mm or Ø 800 mm with gas pressure springs.
- Self-locking fastener, locking mechanism can only be disengaged by hand.
- Frame prepared for setting in concrete and attachment with rawlplugs.



Product features

Shape

**Round with
ventilation
chimney**

Product variants

SKU 47126	SKU 47127	SKU 47128
Inside shaft size 625 mm	Inside shaft size 800 mm	Inside shaft size 1000 mm
Material Steel, galvanised	Material Steel, galvanised	Material Steel, galvanised
Outside dimensions max. L x W x H 745 mm	Outside dimensions max. L x W x H 920 mm	Outside dimensions max. L x W x H 1120 mm



Transport dimensions 740 mm × 740 mm × 480 mm	Transport dimensions 920 mm × 920 mm × 480 mm	Transport dimensions 1.120 mm × 1.120 mm × 480 mm
Version Without insulation	Version Without insulation	Version Without insulation
SKU 47132	SKU 47133	SKU 47134
Inside shaft size 625 mm	Inside shaft size 800 mm	Inside shaft size 1000 mm
Material Steel, galvanised	Material Steel, galvanised	Material Steel, galvanised
Outside dimensions max. L x W x H 745 mm	Outside dimensions max. L x W x H 920 mm	Outside dimensions max. L x W x H 1120 mm
Transport dimensions 740 mm × 740 mm × 480 mm	Transport dimensions 920 mm × 920 mm × 480 mm	Transport dimensions 1.120 mm × 1.120 mm × 480 mm
Version With insulation	Version With insulation	Version With insulation
SKU 47129	SKU 47130	SKU 47131
Inside shaft size 625 mm	Inside shaft size 800 mm	Inside shaft size 1000 mm
Material Stainless steel	Material Stainless steel	Material Stainless steel
Outside dimensions max. L x W x H 745 mm	Outside dimensions max. L x W x H 920 mm	Outside dimensions max. L x W x H 1120 mm
Transport dimensions	Transport dimensions	Transport dimensions



740 mm × 740 mm × 480 mm	920 mm × 920 mm × 480 mm	1.120 mm × 1.120 mm × 480 mm
Version	Version	Version
Without insulation	Without insulation	Without insulation
SKU	SKU	SKU
47135	47136	47137
Inside shaft size	Inside shaft size	Inside shaft size
625 mm	800 mm	1000 mm
Material	Material	Material
Stainless steel	Stainless steel	Stainless steel
Outside dimensions max. L x W x H	Outside dimensions max. L x W x H	Outside dimensions max. L x W x H
745 mm	920 mm	1120 mm
Transport dimensions	Transport dimensions	Transport dimensions
740 mm × 740 mm × 480 mm	920 mm × 920 mm × 480 mm	1.120 mm × 1.120 mm × 480 mm
Version	Version	Version
With insulation	With insulation	With insulation