



Platform steps

Compact work platform with easy-going steps. Choice of stationary or mobile version (for moving quickly to another working position). Ideal for work over long periods, even with tools.

Product description

- Compact work platform with easy-going steps. Ideal for work over long periods, even with tools.

Hints and special features

We recommend equipping the product in accordance with the German Equipment and Product Safety Act (ProdSG) with two-sided handrails and, for steps with platforms or maintenance platforms, all-round fall protection (e.g. guardrails). If handrails or guardrails are not desired, the operator must ensure sufficient regulatory protection.

Standard applied: DIN EN ISO 14122.



Product features

Load capacity max. 300 kg	Max. load per tread 150 kg	Platform length 400 mm	Standards EN ISO 14122	Warranty 10 years
-------------------------------------	--------------------------------------	----------------------------------	----------------------------------	-----------------------------

Product variants

SKU 40855520	SKU 40855521	SKU 40855522
Inclination	Inclination	Inclination



45 °	45 °	45 °
Number of treads 2	Number of treads 3	Number of treads 4
Overall span 951 mm	Overall span 1151 mm	Overall span 1351 mm
Tread width 600 mm	Tread width 600 mm	Tread width 600 mm
Vertical height 400 mm	Vertical height 600 mm	Vertical height 800 mm
SKU 40855523	SKU 40855524	SKU 40855525
Inclination 45 °	Inclination 45 °	Inclination 45 °
Number of treads 5	Number of treads 2	Number of treads 3
Overall span 1541 mm	Overall span 951 mm	Overall span 1151 mm
Tread width 600 mm	Tread width 800 mm	Tread width 800 mm
Vertical height 990 mm	Vertical height 400 mm	Vertical height 600 mm
SKU 40855526	SKU 40855527	SKU 40855528
Inclination 45 °	Inclination 45 °	Inclination 45 °
Number of treads 4	Number of treads 5	Number of treads 2



Overall span 1351 mm	Overall span 1541 mm	Overall span 951 mm
Tread width 800 mm	Tread width 800 mm	Tread width 1000 mm
Vertical height 800 mm	Vertical height 990 mm	Vertical height 400 mm
SKU 40855529	SKU 40855530	SKU 40855531
Inclination 45 °	Inclination 45 °	Inclination 45 °
Number of treads 3	Number of treads 4	Number of treads 5
Overall span 1151 mm	Overall span 1351 mm	Overall span 1541 mm
Tread width 1000 mm	Tread width 1000 mm	Tread width 1000 mm
Vertical height 600 mm	Vertical height 800 mm	Vertical height 990 mm
SKU 40855540	SKU 40855541	SKU 40855542
Inclination 60 °	Inclination 60 °	Inclination 60 °
Number of treads 2	Number of treads 3	Number of treads 4
Overall span 864 mm	Overall span 1008 mm	Overall span 1147 mm
Tread width	Tread width	Tread width



600 mm	600 mm	600 mm
Vertical height	Vertical height	Vertical height
500 mm	750 mm	990 mm
SKU	SKU	SKU
40855544	40855545	40855546
Inclination	Inclination	Inclination
60 °	60 °	60 °
Number of treads	Number of treads	Number of treads
2	3	4
Overall span	Overall span	Overall span
864 mm	1008 mm	1147 mm
Tread width	Tread width	Tread width
800 mm	800 mm	800 mm
Vertical height	Vertical height	Vertical height
500 mm	750 mm	990 mm
SKU	SKU	SKU
40855548	40855549	40855550
Inclination	Inclination	Inclination
60 °	60 °	60 °
Number of treads	Number of treads	Number of treads
2	3	4
Overall span	Overall span	Overall span
864 mm	1008 mm	1147 mm
Tread width	Tread width	Tread width
1000 mm	1000 mm	1000 mm
Vertical height	Vertical height	Vertical height
500 mm	750 mm	990 mm

