



ZAP Masterflex Plus S

Product description

- The large platform with sturdy, all-round guardrail and automatic safety saloon door ensures optimal safety and allows users to work 360° at various heights with both hands free for the actual task.
- Comfortable and safe access on 60 mm wide treads.
- Perfect work organisation with large, well-designed tool tray
- It offers the greatest working height in its class at up to 5 m.
- Large off-road wheels allow the product to be easily shifted even when fully assembled.
- High stability thanks to intelligent stabilisers.



Hints and special features

EN 131-7

Product features


Dimensions, folded Missing translation	Footpoint, stabiliser rod extended L x W x	Guardrail height 1 m	Load capacity max. 150 kg	Material Aluminium
Platform length 550 mm	Platform material glued plywood	Platform width 400 mm	Standards EN 131-7	Tray Plastic



	panel			
Tread depth	Width retracted			
60 mm	0.69 m			

Product variants

SKU	SKU	SKU
41156	41157	41158
Footpoint, stabiliser rod retracted L x W	Footpoint, stabiliser rod retracted L x W	Footpoint, stabiliser rod retracted L x W
1,8m × 0,69 m	2,2m × 0,69 m	2,6m × 0,69 m
Height including railing	Height including railing	Height including railing
max. 2.31 m	max. 2.82 m	max. 3.33 m
No. of rungs incl. platform	No. of rungs incl. platform	No. of rungs incl. platform
5	7	9
Platform height	Platform height	Platform height
0,78m / 1,03m / 1,28m	1,03m / 1,28m / 1,53m / 1,79m	1,53m / 1,79m / 2,05m / 2,3m
Transport dimensions	Transport dimensions	Transport dimensions
2.190 mm × 690 mm × 420 mm	approx. 2.470 mm × 690 mm × 420 mm	approx. 3.030 mm × 690 mm × 420 mm
Weight	Weight	Weight
29.5 kg	32.7 kg	39.2 kg
Working height	Working height	Working height
max. approx. 3.28 m	max. approx. 3.79 m	max. approx. 4.3 m
closed length	closed length	closed length
1.8 m	2.2 m	2.6 m



SKU

41159

Footpoint, stabiliser rod retracted L x W

3,19m × 0,69 m

Height including railing

max. 4.08 m

No. of rungs incl. platform

12

Platform height

2,05m / 2,3m / 2,54m / 3,05m

Transport dimensions

**approx. 3.580 mm × 690 mm ×
420 mm**

Weight

45.5 kg

Working height

max. approx. 5.05 m

closed length

3.19 m