DATA SHEET

AMA P - 40262

The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.



PRODUCT DESCRIPTION

- The modular solution for flexible or stationary application: extendible from a step stool to a complete work platform in various heights.
- Modular design for changing or expanding configurations at any time – as mobile or stationary walkways.
- Lightweight for quick and easy handling.
- Extremely robust, torsion-resistant, corrosion-proof aluminium alloy structure.
- Two-step basic module with up to three add-on steps, suitable for mobile applications.
- Wide range of accessories for stationary or mobile applications.
- Add-on modules in four different heights.
- Comfortable, safe steps (555 x 250 mm) made from serrated aluminium sheet.







HINTS AND SPECIAL FEATURES

Complies with EN 14 183

PRODUCT FEATURES

Property	Value
Coating	natural
Connection Stile-Rung	welded

Property	Value
Load capacity	max. 150 kg
Material	Aluminium
Module combination	B + C
Module, individual	Module C
Overall platform depth	0.8 m
Pitch rung/tread	200 mm
Platform height	0.4 m
Platform length	250 mm
Platform width	555 mm
Standards	EN 14183
Total max. weight	8.7 kg
Transport dimensions	610 mm × 280 mm × 380 mm
Tread depth	250 mm
Type rung/tread	serrated
Warranty	10 years
Weight	3.9 kg
Working height	2.4 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 3



AMA bridging module
SKU 40273



Castor set for AMA castors
SKU 40268



Floor bracket for AMA
SKU 40269

SPARE PARTS 4



Antistatic plug-in end cap
SKU 800344



Antistatic plug-in end cap
SKU 800343



Plug-in end cap
SKU 800295



Plug-in end cap
SKU 800296

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/12/2026
Subject to change or error.