DATA SHEET

Coni B - 40277

Whenever you need access to great heights: flexibility with up to 20 rungs for working heights of up to 6.70 m.









PRODUCT DESCRIPTION

- Whenever you need access to great heights: flexibility with up to 20 rungs for working heights of up to 6.70 m.
- Sturdy aluminium alloy rungs (30 x 30 mm) with non-slip serrated surface.
- Sturdy, solidly screwed steel hinges
- Anti-spread protection provided by two high-strength polyester webbing straps, securely attached to the rungs to prevent twisting.
- High strength, non-twist rung/stile connections.
- Additional stabilisation by bracing on the bottom rung.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.

HINTS AND SPECIAL FEATURES

Stepladder for maximum working heights of up to 6.70 m.
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Base	1,22 m × 0,57 m
Certification	TÜV-SÜD

Property	Value
Coating	natural
Connection Stile-Rung	flanged
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs	7
Number of rungs	2 × 7
Overall base width	0.57 m
Overall length	2.09 m
Pitch rung/tread	265 mm
Standards	EN 131 professional
Stile depth	58 mm
Transport dimensions	approx. 2.090 mm × 570 mm × approx. 170 mm
Tread depth	30 mm
Type rung/tread	serrated
Vertical ladder height	1.99 m
Warranty	10 years
Weight	7.3 kg
Working height	3.25 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 13



Fastening chain
SKU 40252



Ground spikes
SKU 40939



Hook-on platform
SKU 40450



Hook-on tool box
SKU 40920



Horizontal stabiliser bar for retrofitting
SKU 41348



Horizontal stabiliser bar for retrofitting
SKU 41400



Ladder holder, lockable
SKU 40998



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Pivot foot with rubber tread 125 x 50 mm
SKU 40226



Stile extension
SKU 40922



Tension strap
SKU 40960



Toolbag
SKU 40300



Toolbag
SKU 40301

SPARE PARTS 7



Bracing
SKU 820816



End cap
SKU 824152



Hinge
SKU 809021



Plug-in end cap
SKU 824350



Push-on end cap, antistatic
SKU 824475



Splay prevention (belt strap)
SKU 827675



User instructions label
SKU 800606

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/12/2026
Subject to change or error.