ZARGES

DATA SHEET

Everest Plus 2E - 40468

Stay safe at the top. The extension ladder features 80 mm deep treads instead of rungs on the upper ladder.















PRODUCT DESCRIPTION

- Stand safely at the top. The extension ladder with treads instead of rungs on the upper ladder.
- Particularly light thanks to the combination of stepladder and rung ladder (hybrid design).
- The upper ladder is fitted with plastic wheels to prevent damage to walls.
- Height adjustment in increments of 280 mm.
- Upper ladder fitted with plastic wall wheels.
- Locks safely by means of hooks with lift-off retainer.
- Ladder width: 420 mm.
- Stiles and guide fittings of extruded aluminium sections for maximum safety.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
Coating	natural
Connection Stile-Rung	flanged

Property	Value
External width of lower ladder	420 mm
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs	10
Number of rungs	2 × 10
Overall length, extended	5.32 m
Overall length, retracted	3.08 m
Pitch rung/tread	265 mm
Standards	EN 131 professional
Stile depth	73 mm
Transport dimensions	approx. 3.080 mm × approx. 420 mm × approx. 200 mm
Warranty	10 years
Weight	13.9 kg
Wheels	Rubber
Wide crosspiece	1 m
Working height	5.95 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 8



Clamp-on stile extension
SKU 40213



Ground spikes
SKU 40939



Hanging hooks
SKU 40058



Hanging hooks
SKU 40059



Ladder holder, lockable
SKU 40998



Stile extension for horizontal stabiliser bars
SKU 41989



Tension strap
SKU 40960



Toolbag
SKU 40300

SPARE PARTS 7



End cap
SKU 824153



Horizontal stabiliser bar
SKU 800542



Inclination-angle indicator
SKU 824369



Plug-in end cap
SKU 824352



Push-on end cap
SKU 824243



Safer Step tread inset
SKU 800530



User instructions label
SKU 800604

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.