ZARGES

DATA SHEET

K 470 - Battery Case - 40582

For the safe storage and transport of prototypes (ADR P910) and defective or damaged lithium batteries in accordance with ADR SV 376 and P908. Specifications are also available for critically defective lithium batteries in accordance with P911.















PRODUCT DESCRIPTION

- Maximum fire protection and easy handling thanks to the fireproof, one-piece interior construction, which also helps to avoid incorrect use.
- Dangerous goods packaging certified for lithium batteries UN 3480, UN 3481, UN 3090, UN 3091.
- Suitable for transporting prototypes, damaged or defective batteries, critically defective batteries (in accordance with SV 376 and P911 ADR), and batteries intended for disposal and recycling.
- Successfully passed a real-fire test for batteries with a rated energy capacity of approximately 814 Wh. The temperature on the container surface remains below 100°C. Due to numerous influencing factors, such as cell chemistry and design, please contact ZARGES for further information.
- Padding and absorbent material are non-flammable, non-conductive and dust-free.
- Maximum outside temperature below 100°C, no flames or splinters escaping in the event of an accident.
- Usable dimensions per compartment approx. 500 x 150 x 180 mm.
- High-quality special container made from aluminium.
- With fire-resistant padding and absorbent material made of textured glass fibers.
- Dust-free interior fittings.
- Tested and approved as hazardous goods packaging in accordance with UN requirements, i. e. can be

transported on public roads.
- For storage and transport of defective or damaged lithium batteries in compliance with ADR special provisions 376 and packing instructions P908.
- Authorization for the transport of critically defective lithium batteries in accordance with P911, SV 376, and BAM regulations. Please request this from ZARGES.
- Follow the operating instructions.
- Made in Germany

HINTS AND SPECIAL FEATURES

Approved hazardous goods packaging cannot be taken back.

PRODUCT FEATURES

Property	Value
Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	No
Material	Aluminium
Material of the stacking corners	Aluminium
Max. gross weight dangerous goods permission	65 kg
Number of handles	2
Outside dimensions max. L x W x H	600 mm × 600 mm × 250 mm
Peripheral beading	No

Property	Value
Seal	foamed lid seal
Stacking corners	Yes
Usable dimensions per compartment	500mm × 150mm × 180mm
Volume	67 l
Weight	11.5 kg

ACCESSORIES AND SPARE PARTS

ACCESSORIES 7



Clip-on swivel-castor set
SKU 40742



Clip-On Trunnion Set
SKU 40741



Lock Set
SKU 40832



Lock Set
SKU 40833

Shackle lock
SKU 46989



Spring, protection against bursting open
SKU 40834



TSA shackle lock
SKU 46789

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.