

# K 470 - Battery Case -

## 40582

For the safe storage and transport of defective or damaged lithium batteries in accordance with ADR P908 and SV 376.

### Product description

- Maximum fire protection and easy handling thanks to the fireproof, one-piece interior construction, which also helps to avoid incorrect use.
- Hazardous goods packaging certified for lithium batteries UN 3480, UN 3481, UN 3090, UN 3091.
- Suitable for transporting prototypes, damaged or defective batteries, critically defective batteries and batteries for disposal and recycling.
- Fire test successfully passed. No inflammation. The neighbouring batteries remain intact. Temperatures on the outside of the box remain below 100°C.
- Padding and absorbent material are non-flammable, non-conductive and dust-free.
- Maximum outside temperature below 100°C, no flames or splinters escaping in the event of an accident.
- Capacity per compartment approx. 500 x 150 x 150 mm.
- High-quality special container made from aluminium.
- Equipped with fireproof padding and absorbent material made of textured glass fibres.



- Dust-free interior fittings.
- Tested and approved as hazardous goods packaging in accordance with UN requirements, i. e. can be transported on public roads.
- For storage and transport of defective or damaged lithium batteries in compliance with ADR special provisions 376 and packing instructions P908.
- New: Meets the specifications laid out by BAM in Special Provision SV 376 for the transport of critically defective lithium batteries.
- Follow the operating instructions.
- Made in Germany

## Hints and special features

Approved hazardous goods packaging cannot be taken back.

## Product features

|  |                                 |  |  |   |
|--|---------------------------------|--|--|---|
| Colour of the stacking corners<br><b>Natural aluminium</b>           | Corner beading<br><b>Yes</b>    | Fasteners<br><b>Comfort fasteners</b>                | Handles<br><b>Sprung drop handles</b>                        | Integrated wheels<br><b>No</b>                                    |
| Internal dimensions L x W x H<br><b>550 mm x 550 mm x 220 mm</b>     | Material<br><b>Aluminium</b>    | Material of the stacking corners<br><b>Aluminium</b> | Max. gross weight dangerous goods permission<br><b>65 kg</b> | Number of handles<br><b>2</b>                                     |
| Outside dimensions max. L x W x H<br><b>600 mm x 600 mm x 250 mm</b> | Peripheral beading<br><b>No</b> | Seal<br><b>foamed lid seal</b>                       | Stacking corners<br><b>Yes</b>                               | Usable dimensions per compartment<br><b>500mm x 150mm x 180mm</b> |
| Volume   |                                 |  |  | Weight  |



ZARGES

67 l

11.5 kg

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

Subject to change or error.

[www.zarges.com](http://www.zarges.com)

[zarges@zarges.de](mailto:zarges@zarges.de)

Effective  
2/11/2026

3/3