

Eurobox - 40710

The sturdy and lightweight transport and storage solution featuring distinctive cyan-colored corners and a wide range of accessories.

Product description

- Secure stacking thanks to stacking corners made of impact-resistant cyan-colored plastic.
- The all-round foamed seal in the lid is highly durable and offers protection against dust and water splashes.
- A whole host of quality features ensure the product is sturdy and has a long service life, including fully welded profiles, corner beads and full rivets.
- Ergonomic handling thanks to ZARGES Comfort handles, with strength up to 30 kg, and ZARGES Comfort buckles with an extremely long service life.
- Peripheral foamed seal in the lid for protection against dust and splashwater.
- Fitted with two sturdy lid holding straps.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.
- ZARGES Comfort Handles for ergonomic handling.
- Solid workmanship for a long service life and the highest stacking and carrying loads with low dead weight.
- Matched to pallet dimensions according to DIN 15 141.
- Sturdy aluminium universal box.
- Profile-section joints fully welded.
- High degree of resistance to corrosion thanks to



stainless steel fittings.

- Corner beads for additional dimensional stability.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Fasteners can be retrofitted with additional spring protection against bursting open.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).

Hints and special features

Clear opening dimensions are approximately 30 mm smaller than the internal dimensions (length and width).

Product features

Colour of the stacking corners	cyan
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	No
Internal dimensions L x W x H	1.150 mm × 250 mm × 220 mm
Material	Aluminium
Material of the stacking corners	Plastic
Outside dimensions max. L x W x H	1.200 mm × 300 mm × 250 mm
Peripheral beading	No
Seal	foamed lid seal



Stacking corners Yes

Volume 63 l

Weight 6.3 kg

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 6/30/2026

Subject to change or error.