

## Eurobox - 40711

The sturdy and lightweight transport and storage solution featuring distinctive cyan-colored corners and a wide range of accessories.

### Product description

- Secure stacking thanks to stacking corners made of impact-resistant cyan-colored plastic.
- The all-round foamed seal in the lid is highly durable and offers protection against dust and water splashes.
- A whole host of quality features ensure the product is sturdy and has a long service life, including fully welded profiles, corner beads and full rivets.
- Ergonomic handling thanks to ZARGES Comfort handles, with strength up to 30 kg, and ZARGES Comfort buckles with an extremely long service life.
- Peripheral foamed seal in the lid for protection against dust and splashwater.
- Fitted with two sturdy lid holding straps.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.
- ZARGES Comfort Handles for ergonomic handling.
- Solid workmanship for a long service life and the highest stacking and carrying loads with low dead weight.
- Matched to pallet dimensions according to DIN 15 141.
- Sturdy aluminium universal box.
- Profile-section joints fully welded.
- High degree of resistance to corrosion thanks to





stainless steel fittings.

- Corner beads for additional dimensional stability.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Fasteners can be retrofitted with additional spring protection against bursting open.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).

## Hints and special features

Clear opening dimensions are approximately 30 mm smaller than the internal dimensions (length and width).

## Product features

Colour of the stacking corners	cyan
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	No
Internal dimensions L x W x H	640 mm x 230 mm x 280 mm
Material	Aluminium
Material of the stacking corners	Plastic
Outside dimensions max. L x W x H	690 mm x 280 mm x 310 mm
Peripheral beading	No
Seal	foamed lid seal



Stacking corners Yes

Volume 41 l

Weight 4.5 kg

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

[www.zarges.com](http://www.zarges.com)

Effective 6/29/2026

Subject to change or error.