


# K 470 Universal Box - 40843

The K 470 product range offers an exceptional selection of 25 standard sizes. Their capacity ranges from 13 L to 829 L. Special sizes are also available.

## Product description

- Compact and secure storage and transport thanks to stacking corners made of cast aluminium.
- Protection against dust and moisture thanks to a foam gasket that runs all the way around the lid, optionally available with protection class IP 65 or IP 67.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- Resistant to heat and cold, tested from  $-54^{\circ}\text{C}$  to  $+80^{\circ}\text{C}$ .
- A whole host of quality features ensure a long service life, including fully welded profiles, stainless-steel hinges, beading and solid rivets. All K 470 models with base dimensions of 750 x 550 mm and above are made of extra-thick 1.5 mm sheet metal to provide added stability.
- 25 standard sizes, customised sizes on request.
- Lid with stainless steel hinge strip, two lid straps and foamed seal all round.
- Stacking corners made from diecast aluminium ensure safe stacking.
- High level of stability due to 3 fully-welded aluminium profile frames.
- UN approval for the transportation of hazardous





goods possible at additional charge.

- ZARGES Comfort Handles for ergonomic handling.
- Depending on height, beading all round and corner beading for extra stability of form.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- Ergonomic & durable C. fasteners for at least 20,000 operating cycles.
- Extra thick 1.5-mm sheet metal for all K 470 containers from basic dimensions of 750 x 550 mm.

## Hints and special features

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

IP 65 rating available at add charge.

Embossing available at additional cost.

## Product features

|                                |                          |
|--------------------------------|--------------------------|
| Colour of the stacking corners | Natural aluminium        |
| Corner beading                 | Yes                      |
| Fasteners                      | Comfort fasteners        |
| Handles                        | Sprung drop handles      |
| Integrated wheels              | No                       |
| Internal dimensions L x W x H  | 690 mm x 640 mm x 430 mm |
| Matching foam lining           | 43875                    |
| Material                       | Aluminium                |



|  |                          |
|--|--------------------------|
| Material of the stacking corners             | Aluminium                |
| Max. gross weight dangerous goods permission | 100 kg                   |
| Outside dimensions max. L x W x H            | 740 mm x 690 mm x 460 mm |
| Peripheral beading                           | Yes                      |
| Seal   | foamed lid seal          |
| Stacking corners                             | Yes                      |
| Volume                                       | 190 l                    |
| Warranty                                     | 10 years                 |
| Weight                                       | 8.6 kg                   |

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

[www.zarges.com](http://www.zarges.com)

Effective 6/26/2026

Subject to change or error.