

K 470 Universal Box -

40845

The K 470 product range offers an exceptional selection of 25 standard sizes. Their capacity ranges from 13 L to 829 L. Special sizes are also available.

Product description

- Compact and secure storage and transport thanks to stacking corners made of cast aluminium.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- Resistant to heat and cold, tested from -54°C to +80°C.
- A whole host of quality features ensure a long service life, including fully welded profiles, stainless-steel hinges, beading and solid rivets. All K 470 models with base dimensions of 750 x 550 mm and above are made of extra-thick 1.5 mm sheet metal to provide added stability.
- 25 standard sizes, customised sizes on request.
- Lid with stainless steel hinge strip, two lid straps and foamed seal all round.
- Stacking corners made from diecast aluminium ensure safe stacking.
- High level of stability due to 3 fully-welded aluminium profile frames.
- UN approval for the transportation of hazardous goods possible at additional charge.
- ZARGES Comfort handles for ergonomic handling



















ZARGES GmbH Zargesstraße 7 Tel: +49 (0)881-687-100 Fax: +49 (0)881-687-500 www.zarges.com zarges@zarges.de

1/3



and loads of up to 50 kg.

- Depending on height, beading all round and corner beading for extra stability of form.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- Ergonomic & durable C. fasteners for at least 20,000 operating cycles.
- Extra thick 1.5-mm sheet metal for all K 2470 containers from basic dimensions of 750 x 550 mm.

Hints and special features

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

IP 65 rating available at add charge.

Embossing available at additional cost.

Product features

Colour of the stacking corners Natural aluminium	Corner beading Yes	Fasteners Comfort fasteners	Handles Sprung drop handles	Integrated wheels
Internal dimensions L x W x H 900 mm × 480 mm × 400 mm	Matching foam lining 43880	Material Aluminium	Material of the stacking corners Aluminium	Max. gross weight dangerous goods permission 93 kg
Outside dimensions max. L x W x H 950 mm × 530 mm × 430 mm	Peripheral beading Yes	Seal foamed lid seal	Stacking corners Yes	Volume 173 l

ZARGES GmbH Zargesstraße 7 Tel: +49 (0)881-687-100 Fax: +49 (0)881-687-500 www.zarges.com zarges@zarges.de



Warranty

Weight

10 years

11 kg

82362 Weilheim