


## K 470 Universal Box - 40875

The K 470 product range offers an exceptional selection of 25 standard sizes. Their capacity ranges from 13 L to 829 L. Special sizes are also available.

### Product description

- Compact and secure storage and transport thanks to stacking corners made of cast aluminium.
- Protection against dust and moisture thanks to a foam gasket that runs all the way around the lid, optionally available with protection class IP 65 or IP 67.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- Resistant to heat and cold, tested from  $-54^{\circ}\text{C}$  to  $+80^{\circ}\text{C}$ .
- A whole host of quality features ensure a long service life, including fully welded profiles, stainless-steel hinges, beading and solid rivets. All K 470 models with base dimensions of 750 x 550 mm and above are made of extra-thick 1.5 mm sheet metal to provide added stability.
- 25 standard sizes, customised sizes on request.
- Lid with stainless steel hinge strip, two lid straps and foamed seal all round.
- Stacking corners made from diecast aluminium ensure safe stacking.
- High level of stability due to 3 fully-welded aluminium profile frames.
- UN approval for the transportation of hazardous goods possible at additional charge.



- ZARGES Comfort Handles for ergonomic handling.
- Depending on height, beading all round and corner beading for extra stability of form.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).
- Ergonomic & durable C. fasteners for at least 20,000 operating cycles.
- Extra thick 1.5-mm sheet metal for all K 470 containers from basic dimensions of 750 x 550 mm.

## Hints and special features

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

Embossing available at additional cost.

## Product features

Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	No
Internal dimensions L x W x H	1.550 mm x 550 mm x 465 mm
Matching foam lining	43885
Material	Aluminium
Material of the stacking corners	Aluminium



Max. gross weight dangerous goods permission 150 kg

Outside dimensions max. L x W x H 1.600 mm x 600 mm x 495 mm

Peripheral beading Yes

Seal foamed lid seal

Stacking corners Yes

Volume 396 l

Warranty 10 years

Weight 23.5 kg

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

[www.zarges.com](http://www.zarges.com)

Effective 6/26/2026

Subject to change or error.