ZARGES

DATA SHEET

Megastep L - 41138

Utility value meets design: the strongest of all ZARGES ladders with high load capacity and luxurious black finish for heavy-duty use.







PRODUCT DESCRIPTION

- Utility value meets design: the strongest of all ZARGES ladders with high load capacity and luxurious black finish for heavy-duty use.
- Wall piece at the top so that the ladder rests securely.
- Wide rungs with non-slip ribbing.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Clean hands thanks to wear-resistant, anodised black styles.
- Outside width: 380 mm.
- High strength, non-twist rung/stile connections.
- Rungs and stiles made from extruded aluminium sections.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.

HINTS AND SPECIAL FEATURES

in accordance with DIN EN 131-1, order No. 41138 includes a stabiliser bar.
Max. load 250 kg!
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD

Property	Value
Coating	anodised
Connection Stile-Rung	flanged
Load capacity	max. 250 kg
Material	Aluminium
Number of rungs	12
Overall length	3.5 m
Pitch rung/tread	265 mm
Standards	EN 131 professional
Stile depth	73 mm
Transport dimensions	3.500 mm × 385 mm × 75 mm
Tread depth	60 mm
Type rung/tread	SL Step
Warranty	10 years
Weight	10.5 kg
Wide crosspiece	0.79 m
Working height	4.25 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 9



Bucket hook
SKU 40115



Ground spikes
SKU 40939



Handrail
SKU 41990



Hanging hooks
SKU 40058



Hanging hooks
SKU 40059



Ladder stay / base stabiliser
SKU 40250



Stile extension for horizontal stabiliser bars
SKU 41989



Theft protection
SKU 8210



Toolbag
SKU 40300

SPARE PARTS 8



Antistatic plug-in end cap
SKU 824321



Bracing
SKU 820816



End cap
SKU 824153



Inclination-angle indicator
SKU 824369



Plug-in end cap
SKU 824352



Push-on end cap
SKU 824243



User instructions label
SKU 800593



Wall pad
SKU 808930

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.