

## Megastep S - 41145

Extreme strength meets maximum height: 250 kg load capacity with industry-leading working height for the most demanding applications.

### Product description

- Extreme strength meets maximum height: 250 kg load capacity with industry-leading working height for the most demanding applications.
- A sturdy platform that provides a secure footing even during extended periods of work.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Clean hands thanks to wear-resistant, anodised black styles.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.
- Robust design: flanged rung-stile connection with a platform and extruded aluminum profiles.



### Hints and special features

Complies with EN 131 Professional.

### Product features

Base	0,76 m × 0,44 m
Certification	TÜV-SÜD



Coating	anodised
Connection Stile-Rung	flanged
Load capacity	max. 250 kg
Material	Aluminium
No. of rungs incl. platform	3
Overall base width	0.44 m
Overall length	1.59 m
Pitch rung/tread	265 mm
Platform height	0.8 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Transport dimensions	1.595 mm × 445 mm × 150 mm
Tray	Aluminium
Tread depth	60 mm
Type rung/tread	SL Step
Warranty	10 years
Weight	6.2 kg
Working height	2.8 m



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

[zarges@zarges.de](mailto:zarges@zarges.de)

[www.zarges.com](http://www.zarges.com)

Effective 6/20/2026

Subject to change or error.