ZARGES


DATA SHEET

Megastep S - 41148

Extreme strength meets maximum height: 250 kg load capacity with industry-leading working height for the most demanding applications.















PRODUCT DESCRIPTION

- Extreme strength meets maximum height: 250 kg load capacity with industry-leading working height for the most demanding applications.
- A sturdy platform that provides a secure footing even during extended periods of work.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Clean hands thanks to wear-resistant, anodised black styles.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.
- Robust design: flanged rung-stile connection with a platform and extruded aluminum profiles.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value

Property	Value
Anti splay	Belt strap
Base	1,27 m × 0,53 m
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	flanged
Load capacity	max. 250 kg
Material	Aluminium
No. of rungs incl. platform	6
Overall base width	0.53 m
Overall length	2.43 m
Pitch rung/tread	265 mm
Platform height	1.59 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	73 mm
Stile depth	58 mm
Stile depth steps/back stay	73mm / 58mm
Transport dimensions	2.435 mm × 535 mm × 150 mm
Tray	Aluminium

Property	Value
Tread depth	60 mm
Type rung/tread	SL Step
Warranty	10 years
Weight	8.6 kg
Working height	3.6 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 10



Bucket hook
SKU 40115



Ground spikes
SKU 40939




Horizontal stabiliser bar for retrofitting
SKU 41349



Horizontal stabiliser bar for retrofitting
SKU 41401



Ladder holder, lockable
SKU 40998



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Pivot foot with rubber tread 125 x 50 mm
SKU 40226



Stile extension
SKU 40922



Theft protection
SKU 8210



Toolbag
SKU 40300

SPARE PARTS 8



Bracing
SKU 820816



Plug-in end cap
SKU 824350




Plug-in end cap
SKU 824352



Push-on end cap, antistatic
SKU 824475



Push-on end cap, antistatic
SKU 824476



Splay prevention (belt strap)
SKU 827885



Tray
SKU 829798



User instructions label
SKU 800609

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/12/2026
Subject to change or error.