DATA SHEET


# Megastep B - 41189

Extreme strength in a double-sided version: 250 kg load capacity, combined with relatively low weight, for the most demanding applications.













## PRODUCT DESCRIPTION

- Extreme strength in a double-sided version: 250 kg load capacity, combined with relatively low weight, for the most demanding applications.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Clean hands thanks to wear-resistant, anodised black styles.
- Strong steel hinges.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.
- Sturdy design: flanged rungs-to-stiles connection with extruded aluminum profiles.

## HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

## PRODUCT FEATURES

| Property | Value |
|---|---|
| Anti splay | Belt strap |
| Base | 0,93 m × 0,47 m |

| Property | Value |
| --- | --- |
| Certification | TÜV-SÜD |
| Coating | anodised |
| Connection Stile-Rung | flanged |
| Load capacity | max. 250 kg |
| Material | Aluminium |
| Number of rungs | 4 |
| Number of rungs | 2 × 4 |
| Overall base width | 0.47 m |
| Overall length | 1.22 m |
| Pitch rung/tread | 265 mm |
| Standards | EN 131 professional |
| Stile depth | 73 mm |
| Transport dimensions | 1.255 mm × 480 mm × 190 mm |
| Tread depth | 60 mm |
| Type rung/tread | SL Step |
| Vertical ladder height | 1.2 m |
| Warranty | 10 years |
| Weight | 6.9 kg |
| Working height | 2.5 m |

# ACCESSORIES AND SPARE PARTS

## ACCESSORIES 8




**Bucket hook**
SKU 40115



**Ground spikes**
SKU 40939



**Ladder holder, lockable**
SKU 40998



**Pivot foot with rubber tread 100 x 55 mm**
SKU 40997



**Pivot foot with rubber tread 125 x 50 mm**
SKU 40226



**Stile extension**
SKU 40922



**Tension strap**
SKU 40960



**Theft protection**
SKU 8210

## SPARE PARTS 8



**Antistatic plug-in end cap**
SKU 824321



**Bracing**
SKU 820816



**End cap**
SKU 824153



**Hinge**
SKU 809021



**Plug-in end cap**
SKU 824352



**Splay prevention (belt strap)**
SKU 827657



**Stop bracket**
SKU 809499



**User instructions label**
SKU 800607

**ZARGES GMBH**
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/8/2026
Subject to change or error.