DATA SHEET


Megastep B - 41190

Extreme strength in a double-sided version: 250 kg load capacity, combined with relatively low weight, for the most demanding applications.















PRODUCT DESCRIPTION

- Extreme strength in a double-sided version: 250 kg load capacity, combined with relatively low weight, for the most demanding applications.
- Max. load 250 kg.
- Wide aluminium alloy rungs, 60 mm deep, with non-slip ribbing.
- Clean hands thanks to wear-resistant, anodised black styles.
- Strong steel hinges.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.
- Sturdy design: flanged rungs-to-stiles connection with extruded aluminum profiles.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Base	1,1 m × 0,5 m

Property	Value
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	flanged
Load capacity	max. 250 kg
Material	Aluminium
Number of rungs	5
Number of rungs	2 × 5
Overall base width	0.5 m
Overall length	1.5 m
Pitch rung/tread	265 mm
Standards	EN 131 professional
Stile depth	73 mm
Transport dimensions	1.535 mm × 510 mm × 190 mm
Tread depth	60 mm
Type rung/tread	SL Step
Vertical ladder height	1.47 m
Warranty	10 years
Weight	8 kg
Working height	2.75 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 9




Bucket hook
SKU 40115



Ground spikes
SKU 40939



Ladder holder, lockable
SKU 40998



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Pivot foot with rubber tread 125 x 50 mm
SKU 40226



Stile extension
SKU 40922



Tension strap
SKU 40960



Theft protection
SKU 8210



Toolbag
SKU 40300

SPARE PARTS 8



Antistatic plug-in end cap
SKU 824321



Bracing
SKU 820816




End cap
SKU 824153



Hinge
SKU 809021



Plug-in end cap
SKU 824352



Splay prevention (belt strap)
SKU 827885



Stop bracket
SKU 809499



User instructions label
SKU 800607

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/8/2026
Subject to change or error.