ZARGES

DATA SHEET

ZAP Safemaster Plus S - 41203

The perfect solution for picking tasks on shelves. Large storage surface, easy to roll, compact when folded.















PRODUCT DESCRIPTION

- The perfect solution for picking tasks on shelves. Large storage surface, easy to roll, compact when folded.
- Access section with horizontal stabiliser bar, support section with chassis beam, wheels with locking mechanism (diameter 160 mm).
- Easy folding of the ladder for space-saving storage due to hinges in both diagonal braces.
- Aluminium work platform, approx. 600 x 630 mm, with safety guard rail on three sides.
- Narrow chassis. The chassis width is reduced to a minimum through additional ballasting.
- Large storage and retrieval tray.

HINTS AND SPECIAL FEATURES

Safe standing thanks to large, 600 × 630 mm aluminium platform with guardrail.
Complies with EN 131-7

PRODUCT FEATURES

Property	Value
Base	1,5 m × 1,29 m
Chassis-beam width	1.29 m

Property	Value
Height including railing	2.6 m
Load capacity	max. 150 kg
Number of rungs, incl. platform	6
Platform height	1.6 m
Platform length	630 mm
Platform material	Aluminium ribbed plate
Platform width	600 mm
Standards	EN 131-7
Transport dimensions	3.212 mm × 650 mm × 225 mm
Tray	Aluminium
Tread depth	80 mm
Type rung/tread	Safer Step
Warranty	10 years
Weight	47 kg
Wide crosspiece	1 m
Working height	3.6 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 2



Ladder holder, lockable
SKU 40998



Tension strap
SKU 40960

SPARE PARTS 14



Antistatic plug-in end cap
SKU 824321



Automatic steel hinge
SKU 820688



Brake
SKU 826815



Castor
SKU 826782



End cap
SKU 824017



End cap
SKU 824152



End cap
SKU 824153



Hinge
SKU 809021



Plug-in end cap
SKU 824352



Push-on end cap
SKU 824242



Push-on end cap, antistatic
SKU 824502



Safer Step tread inset
SKU 800530



Securing rope
SKU 827363



Wheel, anti-static
SKU 829590

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/14/2026
Subject to change or error.