

XLstep S - 41223

Low weight, simple handling and a good price/performance ratio with high-value equipment.

Product description

- Low weight, simple handling and a good price/performance ratio with high-value equipment.
- Large platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Platform made from extruded aluminium (300 mm × 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Abrasion-resistant, anodised stiles.
- Spacious aluminium storage tray for material and tools.
- 80 mm deep surfaces to stand on.
- Triple-riveted connection between treads and stiles.



Hints and special features

Complies with EN 131 Professional.

Product features

| | |
|-----------------------|----------------|
| Base | 0,75 m × 0,5 m |
| Certification | TÜV-SÜD |
| Coating | anodised |
| Connection Stile-Rung | riveted |
| Load capacity | max. 150 kg |

| | |
|---------------------------------|--|
| Material | Aluminium |
| Number of rungs, incl. platform | 3 |
| Overall base width | 0.5 m |
| Overall length | 1.56 m |
| Pitch rung/tread | 250 mm |
| Platform height | 0.74 m |
| Platform length | 250 mm |
| Platform width | 300 mm |
| Standards | EN 131 professional |
| Stile depth | 42 mm |
| Stile depth | 42 mm |
| Stile depth steps/back stay | 42mm / 42mm |
| Transport dimensions | approx. 1.560 mm × approx. 500 mm × approx. 155 mm |
| Tray | Aluminium |
| Tread depth | 80 mm |
| Type rung/tread | serrated |
| Vertical ladder height | 1.42 m |
| Warranty | 10 years |
| Weight | 6 kg |
| Working height | 2.75 m |



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 4/6/2026

Subject to change or error.