
ZARGES

DATA SHEET

Skyline EFA 2E - 41276

For special applications at great heights: the special ladder for working in high-voltage or chemical environments, with convenient height adjustment.





PRODUCT DESCRIPTION

- For special applications at great heights: the special ladder for working in high-voltage or chemical environments, with convenient height adjustment.
- Stiles and rungs made of glass-fibre-reinforced plastic for particularly high chemical resistance.
- Complies with the high-voltage test for ladders of insulating material in accordance with DIN EN 61 478 or VDE 0682 Section 6.5 Category 1/30 KV.
- Suitable for working in high-voltage environments (1000 V AC, 1500 V DC).
- Very easy and convenient rung-by-rung height adjustment in a 280 mm grid via synthetic rope and roller.
- Wall wheels that will not damage the wall.
- Stiles and rungs (30 mm x 30 mm) made from glass-fibre-reinforced plastic for particularly high chemical resistance.
- Resistance to ageing in accordance with DIN EN ISO 4892-2.
- Overall width of bottom section: 430 mm.
- Replaceable 2-component plastic end caps ensure secure positioning without the risk of slipping.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
External width of lower ladder	420 mm
Load capacity	max. 150 kg
Material	Glass-fibre reinforced plastic
Number of rungs	16
Number of rungs	2 × 16
Overall length, extended	7.72 m
Overall length, retracted	4.64 m
Pitch rung/tread	270 mm
Standards	EN 131 professional
Stile depth	90 mm
Transport dimensions	4.650 mm × 450 mm × 150 mm
Tread depth	30 mm
Type rung/tread	serrated
Warranty	10 years
Weight	41.3 kg
Wheels	Rubber
Wide crosspiece	1.2 m
Working height	8.5 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 10



Ground spikes
SKU 40939



Gutter fastening
SKU 40999



Hook-on platform
SKU 40450



Hook-on tool box
SKU 40920



Ladder holder, lockable
SKU 40998



Ladder stay / base stabiliser
SKU 40250



Mast wheel assembly
SKU 8505



Stand-off bracket with tool tray
SKU 40100



Tension strap
SKU 40960



Toolbag
SKU 40300

SPARE PARTS 15



Bracing
SKU 820816



Bushing
SKU 824455



End cap
SKU 824153



Guide fitting
SKU 826260



Guide fitting
SKU 826261



Inclination-angle indicator
SKU 824369



Push-on end cap
SKU 824427



Push-on end cap
SKU 824243



Rope pulley for rope-operated ladder
SKU 809808



Rung slide piece
SKU 824732



Spring
SKU 823914



Spring loaded pawl
SKU 808776



Spring loaded pawl
SKU 808778



User instructions label
SKU 800604



Wheel
SKU 826082

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/8/2026
Subject to change or error.