

## Saferstep S - 41376

Climb safely, stand securely—with Safer Step treads, a wide platform, and impressive working height.

### Product description

- Climb safely, stand securely—with Safer Step treads, a wide platform, and impressive working height.
- Large platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- Platform made from extruded aluminium (300 mm × 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Tread with ZARGES Safer Step Technology, 80 mm deep.
- Clean hands thanks to wear-resistant anodised stiles.
- The 280 mm-high step provides the greatest working height in its class.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.
- Robust design: flanged step-stile connection with a platform and extruded aluminum profiles.



Complies with EN 131 Professional.

## Product features

Anti splay	Belt strap
Base	1,25 m × 0,58 m
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	flanged
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs, incl. platform	6
Overall base width	0.58 m
Overall length	2.43 m
Pitch rung/tread	265 mm
Platform height	1.59 m
Platform length	250 mm
Platform width	300 mm
Standards	EN 131 professional
Stile depth	68 mm
Stile depth	58 mm
Stile depth steps/back stay	68mm / 58mm
Transport dimensions	approx. 2.430 mm × approx. 580 mm × approx. 170 mm
Tray	Aluminium



Tread depth	80 mm
Type rung/tread	Safer Step
Warranty	10 years
Weight	9.9 kg
Working height	3.6 m

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

[www.zarges.com](http://www.zarges.com)

Effective 6/7/2026

Subject to change or error.