

Saferstep S - 41378

Climb safely, stand securely—with Safer Step treads, a wide platform, and impressive working height.

Product description

- Climb safely, stand securely—with Safer Step treads, a wide platform, and impressive working height.
- Large platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- Platform made from extruded aluminium (300 mm × 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Tread with ZARGES Safer Step Technology, 80 mm deep.
- Clean hands thanks to wear-resistant anodised stiles.
- The 280 mm-high step provides the greatest working height in its class.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.
- Robust design: flanged step-stile connection with a platform and extruded aluminum profiles.



Hints and special features

Complies with EN 131 Professional.

Product features

| | |
|---------------------------------|--|
| Anti splay | Belt strap |
| Base | 1,58 m × 0,64 m |
| Certification | TÜV-SÜD |
| Coating | anodised |
| Connection Stile-Rung | flanged |
| Load capacity | max. 150 kg |
| Material | Aluminium |
| Number of rungs, incl. platform | 8 |
| Overall base width | 0.64 m |
| Overall length | 2.99 m |
| Pitch rung/tread | 265 mm |
| Platform height | 2.12 m |
| Platform length | 250 mm |
| Platform width | 300 mm |
| Standards | EN 131 professional |
| Stile depth | 68 mm |
| Stile depth | 58 mm |
| Stile depth steps/back stay | 68mm / 58mm |
| Transport dimensions | approx. 2.990 mm × approx. 640 mm × approx. 170 mm |
| Tray | Aluminium |



| | |
|-----------------|------------|
| Tread depth | 80 mm |
| Type rung/tread | Safer Step |
| Warranty | 10 years |
| Weight | 12.3 kg |
| Working height | 4.15 m |

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 6/7/2026

Subject to change or error.