

Saferstep S - 41380

Comfortable and safe ascent with high non-slip performance thanks to Safer Step Technology and robust, stable construction.

Product description

- Comfortable and safe ascent with high non-slip performance thanks to Safer Step Technology and robust, stable construction.
- Large platform that allows personnel to stand safely and comfortably even when working for extended periods.
- Spacious aluminium storage tray for material and tools.
- Platform made from extruded aluminium (300 mm × 250 mm) for safe and comfortable standing even when working for longer periods of time.
- Tread with ZARGES Safer Step Technology, 80 mm deep.
- Abrasion-resistant, anodised stiles.
- Maximum working heights thanks to 280mm high access.
- High-strength perlon belts prevent splay.
- Replaceable 2-component plastic end caps ensure positioning without risk of slipping and at the same time provide firm seating in the stile.



Hints and special features

Complies with EN 131 Professional.

Product features



Anti splay	Belt strap
Base	1,91 m × 0,7 m
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	flanged
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs, incl. platform	10
Overall base width	0.7 m
Overall length	3.55 m
Pitch rung/tread	265 mm
Platform height	2.64 m
Platform length	250 mm
Platform width	300 mm
Standards	EN 131 professional
Stile depth	68 mm
Stile depth	58 mm
Stile depth steps/back stay	68mm / 58mm
Transport dimensions	approx. 3.550 mm × approx. 700 mm × approx. 170 mm
Tray	Aluminium
Tread depth	80 mm
Type rung/tread	Safer Step



Warranty	10 years
Weight	15.6 kg
Working height	4.65 m

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

www.zarges.com

Effective 4/7/2026

Subject to change or error.