ZARGES

DATA SHEET

Variomax V - 41383

Multifunctional, extendible ladder suitable for use on stairs, with compact transport dimensions and in sturdy, durable design.









PRODUCT DESCRIPTION

- Multifunctional, extendible ladder suitable for use on stairs, with compact transport dimensions and in sturdy, durable design.
- Single ladder, stepladder and staircase stepladder in one.
- Easy-to-use, automatically engaging aluminium safety hinge.
- Safe height adjustment thanks to four pull handles of diecast aluminium.
- Fitted with fold-out stabilisers to allow the product to be used as a single ladder in compliance EN131-1 (except for the 4x3 model).
- The stabilisers can be folded in to save space during transport or when the product is used as a stepladder.
- Rung by rung working height adjustment in all versions.
- Quickly and easily converts from one mode to another.
- High strength, non-twist rung/stile connections.

PRODUCT FEATURES

Property	Value
Certification	TÜV-SÜD
Coating	natural
Connection Stile-Rung	flanged
Dimensions, folded	Missing translation

Property	Value
Length as lean-to ladder	4.2 m
Length as trestle	2 m
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs	4
Number of rungs	4 × 4
Pitch rung/tread	265 mm
Standards	EN 131-4
Transport dimensions	1.310 mm × approx. 640 mm × 210 mm
Tread depth	30 mm
Type rung/tread	serrated
Warranty	10 years
Weight	15 kg
Working height as lean-to ladder	5 m
Working height as stepladder	3.35 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 6



Hook-on platform
SKU 40450



Hook-on tool box
SKU 40920



Ladder holder, lockable
SKU 40998



Stile extension
SKU 41933



Tension strap
SKU 40960



Toolbag
SKU 40300

SPARE PARTS 9



Automatic aluminium hinge
SKU 820387



Plug-in end cap
SKU 800146



Push-on end cap
SKU 800131



Push-on end cap
SKU 800132



Rung cap
SKU 800133



Rung cap
SKU 800134



Rung lock
SKU 800135



Stabiliser kit for retrofitting to Variomax V
SKU 41379



User instructions label
SKU 800612

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/11/2026
Subject to change or error.