


## Comfortstep S - 41425

More than just shin protection: padded front edges and the widest platform in its class make even longer sessions significantly more comfortable.

### Product description

- More than just shin protection: padded front edges and the widest platform in its class make even longer sessions significantly more comfortable.
- The widest platform in its class, featuring a padded front edge for a secure, comfortable stance even during extended use.
- Deep treads with padded front edge for standing comfort.
- Non-slip two-component ladder feet with a large contact surface.
- 80 mm deep treads with a padded front edge protect the shins.
- Clean hands thanks to wear-resistant anodised stiles.
- Spacious aluminum storage tray with plenty of room for tools and small parts.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Sturdy design for daily use: platform and profiles made of extruded aluminum.
- Screwed connection between treads and stile.



### Hints and special features

Complies with EN 131 Professional.



## Product features

Anti splay	Belt strap
Base	1,43 m × 0,62 m
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	bolted
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs, incl. platform	7
Overall base width	0.62 m
Overall length	2.64 m
Pitch rung/tread	250 mm
Platform height	1.74 m
Platform length	250 mm
Platform width	300 mm
Standards	EN 131 professional
Stile depth	48 mm
Stile depth	42 mm
Stile depth steps/back stay	48mm / 42mm
Transport dimensions	approx. 2.640 mm × approx. 620 mm × approx. 155 mm
Tray	Aluminium
Tread depth	80 mm



Type rung/tread padding on front tread edges

Vertical ladder height 2.42 m

Warranty 10 years

Weight 10.7 kg

Working height 3.75 m

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

zarges@zarges.de

[www.zarges.com](http://www.zarges.com)

Effective 6/29/2026

Subject to change or error.