ZARGES

DATA SHEET

Comfortstep B - 41430


Padded front edges on the steps protect your shins and make working at heights for extended periods much more comfortable.



PRODUCT DESCRIPTION

- Padded front edges on the steps protect your shins and make working at heights for extended periods much more comfortable.
- Deep treads with padded front edge for standing comfort.
- 80 mm deep treads with a padded front edge protect the shins.
- Non-slip two-component ladder feet with a large contact surface.
- Clean hands thanks to wear-resistant anodised stiles.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Durable design for everyday use: extruded aluminum profiles.
- Screwed connection between treads and stile.













HINTS AND SPECIAL FEATURES

Maximum comfort due to padded treads.
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Base	2,36 m × 0,68 m

Property	Value
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	bolted
Load capacity	max. 150 kg
Material	Aluminium
Number of treads	11
Number of treads	2 × 11
Overall base width	0.68 m
Overall length	2.99 m
Pitch rung/tread	250 mm
Standards	EN 131 professional
Stile depth	48 mm
Transport dimensions	3.000 mm × 680 mm × 174 mm
Tread depth	80 mm
Type rung/tread	padding on front tread edges
Vertical ladder height	2.75 m
Warranty	10 years
Weight	17.6 kg
Working height	4.25 m

ACCESSORIES AND SPARE PARTS

SPARE PARTS 5



Front edge of tread
SKU 824117



Front edge of tread
SKU 824118



Hinge
SKU 820935



Push-on end cap
SKU 824438



User instructions label
SKU 800606

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.