ZARGES

DATA SHEET

Comfortstep B - 41435

Padded front edges on the steps protect your shins and make working at heights for extended periods much more comfortable.

PRODUCT DESCRIPTION

- Padded front edges on the steps protect your shins and make working at heights for extended periods much more comfortable.
- Deep treads with padded front edge for standing comfort.
- 80 mm deep treads with a padded front edge protect the shins.
- Non-slip two-component ladder feet with a large contact surface.
- Clean hands thanks to wear-resistant anodised stiles.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Durable design for everyday use: extruded aluminum profiles.
- Screwed connection between treads and stile.



HINTS AND SPECIAL FEATURES

Maximum comfort due to padded treads.
Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Base	1,35 m × 0,54 m

Property	Value
Certification	TÜV-SÜD
Coating	anodised
Connection Stile-Rung	bolted
Load capacity	max. 150 kg
Material	Aluminium
Number of treads	6
Number of treads	2 × 6
Overall base width	0.54 m
Overall length	1.65 m
Pitch rung/tread	250 mm
Standards	EN 131 professional
Stile depth	42 mm
Transport dimensions	1.650 mm × approx. 540 mm × 174 mm
Tread depth	80 mm
Type rung/tread	padding on front tread edges
Vertical ladder height	1.5 m
Warranty	10 years
Weight	8.8 kg
Working height	3 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 9



Fastening chain
SKU 40252



Folding bracket
SKU 8208




Hook-on tool box
SKU 40920



Ladder holder, lockable
SKU 40998



Non-marking ladder end caps
SKU 40309



Pivot foot with rubber tread 100 x 55 mm
SKU 40997



Tension strap
SKU 40960



Toolbag
SKU 40300



Toolbag
SKU 40301

SPARE PARTS 6



Front edge of tread
SKU 824115



Front edge of tread
SKU 824116



Hinge
SKU 820935



Push-on end cap
SKU 824424



Push-on end cap, antistatic
SKU 824473



User instructions label
SKU 800606

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/9/2026
Subject to change or error.