

# K 424 XC Mobile Box - 41815

The new K 424 XC combines the legendary quality of ZARGES cases with new mobility.

## Product description

- The K 424 XC has excellent mobility and ergonomics owing to its integrated wheels and pull-out handles (for order no. 41810-41814) or second sprung drop handle on the end face (for order no. 41815).
- All-round beading and corner beading offer additional stability, allowing the box to withstand a load of up to 50 kg despite its low weight.
- Stackability guaranteed through stacking corners made from impact-resistant plastic and integrated stacking elements in the support frame. Can also be stacked with containers in the ZARGES K 470 and Eurobox series.
- Can be fitted with an optional 125 mm wheel set or 220 mm off-road wheel set (for models with a volume of 60 litres and above) to improve its mobility on difficult terrain.
- Sturdy, mobile aluminium box in ZARGES quality, long service life, a reliable companion.
- Optimum mobility through integrated 50 mm castors and pull-out handle (Order No. 41810-41814) or second sprung drop handle on the end face (Order No. 41815).
- Extremely smooth-running due to special castors,  $\varnothing$  50 mm, made from polyurethane and polyamide.
- ZARGES Comfort fasteners with extremely long





service life, fitted with plug locks.

- High load-bearing capacity of up to 50 kg despite the low dead weight.
- UN approval for the transportation of hazardous goods possible at additional charge.
- Optional wheel set 125 mm or off-road set 220 mm available for use in difficult terrain.
- Beading all round and corner beads for additional dimensional stability.
- A wide range of adjustable interior fittings ensure versatility.
- Peripheral foamed seal in the lid for protection against dust and splashwater.

## Hints and special features

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

## Product features

Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	Yes
Internal dimensions L x W x H	910 mm x 350 mm x 380 mm
Material	Aluminium
Material of the stacking corners	Aluminium



Max. gross weight dangerous goods permission	50 kg
Outside dimensions max. L x W x H	960 mm x 400 mm x 455 mm
Peripheral beading	Yes
Pull handle	2. Sprung drop handle
Seal	foamed lid seal
Stacking corners	Yes
Total max. weight	50 kg
Volume	120 l
Weight	9.5 kg
Wheel diameter	50 mm

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

[zarges@zarges.de](mailto:zarges@zarges.de)

[www.zarges.com](http://www.zarges.com)

Effective 4/4/2026

Subject to change or error.