ZARGES

DATA SHEET

Plazamax P - 41925

This tried and tested access solution is very compact when folded and has rubber coating for safe and comfortable standing.









PRODUCT DESCRIPTION

- This tried and tested access solution is very compact when folded and has rubber coating for safe and comfortable standing.
- Safety bar with practical storage tray, optional on the 3-step variant, attached as standard on the 4- or 5-step variant.
- Large standing area: 230 x 360 mm.
- Large steps for safe and comfortable standing, with rubber surface.
- Collapsible for extra compactness.
- Safety bar with a practical storage tray.
- Stile ends with plastic edge finish.
- Stiles made from extruded aluminium sections for maximum stability.

HINTS AND SPECIAL FEATURES

Folds to a compact size for transport and storage.
Complies with EN 14 183

PRODUCT FEATURES

Property	Value
Coating	natural
Load capacity	max. 150 kg
Material	Aluminium

Property	Value
Number of rungs, incl. platform	5
Overall base width	0.6 m
Pitch rung/tread	250 mm
Platform height	1.15 m
Platform length	230 mm
Platform width	360 mm
Safety bow	Yes
Standards	EN 14183
Stile depth	70 mm
Transport dimensions	1.760 mm × 580 mm × 140 mm
Tray	Plastic
Tread depth	230 mm
Type rung/tread	with non-slip rubber coating
Warranty	10 years
Weight	13.7 kg
Working height	3.15 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 1



Self-locking castors for safety steps, folding
SKU 41929

SPARE PARTS 4



Plug-in end cap
SKU 800142



Plug-in end cap
SKU 800143



Tray
SKU 800300



Tread plate
SKU 800237

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/13/2026
Subject to change or error.