ZARGES

DATA SHEET

Scana S - 44156

The lightweight, anodised entry-level model for short, occasional use.















PRODUCT DESCRIPTION

- The lightweight, anodised entry-level model for short, occasional use.
- Spacious platform for a comfortable standing position.
- Tools and small parts are always within reach thanks to the handy storage tray.
- Clean hands thanks to wear-resistant anodised stiles.
- Easy to get on and off the bus thanks to the 80-mm-deep treads.
- High-strength polyester webbing with a sewn-in attachment loop – durable and resistant to wear and tear.
- Optimal platform stability thanks to a sturdy extruded profile.

HINTS AND SPECIAL FEATURES

Complies with EN 131 Professional.

PRODUCT FEATURES

Property	Value
Anti splay	Belt strap
Base	1,1 m × 0,48 m
Certification	TÜV-SÜD

Property	Value
Coating	anodised
Connection Stile-Rung	riveted
Load capacity	max. 150 kg
Material	Aluminium
Number of rungs, incl. platform	6
Overall base width	0.48 m
Overall length	2.05 m
Pitch rung/tread	216 mm
Platform height	1.24 m
Platform length	250 mm
Platform width	250 mm
Standards	EN 131 professional
Stile depth	40 mm
Stile depth	40 mm
Stile depth steps/back stay	40mm / 40mm
Transport dimensions	2.060 mm × 490 mm × 110 mm
Tray	Plastic
Tread depth	80 mm
Type rung/tread	serrated
Vertical ladder height	1.85 m

Property	Value
Warranty	10 years
Weight	5.9 kg
Working height	3.25 m

ACCESSORIES AND SPARE PARTS

ACCESSORIES 1



Ladder holder, lockable
SKU 40998

SPARE PARTS 4



Push-on end cap
SKU 800266



Splay prevention (belt strap)
SKU 873900



Tray
SKU 800311



User instructions label
SKU 800608

ZARGES GMBH
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/11/2026
Subject to change or error.