ZARGES

DATA SHEET

# K 470 Universal Box

The K 470 product range offers an exceptional selection of 25 standard sizes. Their capacity ranges from 13 L to 829 L. Special sizes are also available.



## PRODUCT DESCRIPTION

- Compact and secure storage and transport thanks to stacking corners made of cast aluminium.
- Protection against dust and moisture thanks to a foam gasket that runs all the way around the lid, optionally available with protection class IP 65 or IP 67.
- Large, ergonomic handles and closures facilitate handling, even when the user is wearing gloves.
- Resistant to heat and cold, tested from -54°C to +80°C.
- A whole host of quality features ensure a long service life, including fully welded profiles, stainless-steel hinges, beading and solid rivets. All K 470 models with base dimensions of 750 x 550 mm and above are made of extra-thick 1.5 mm sheet metal to provide added stability.
- 25 standard sizes, customised sizes on request.
- Lid with stainless steel hinge strip, two lid straps and foamed seal all round.
- Stacking corners made from diecast aluminium ensure safe stacking.
- High level of stability due to 3 fully-welded aluminium profile frames.
- UN approval for the transportation of hazardous goods possible at additional charge.
- ZARGES Comfort Handles for ergonomic handling.
- Depending on height, beading all round and corner beading for extra stability of form.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).













- Ergonomic & durable C. fasteners for at least 20,000 operating cycles.
- Extra thick 1.5-mm sheet metal for all K 470 containers from basic dimensions of 750 x 550 mm.

### HINTS AND SPECIAL FEATURES

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.
IP 65 rating available at add charge.
Embossing available at additional cost.

## PRODUCT FEATURES

| Property | Value |
|---|---|
| Colour of the stacking corners | Natural aluminium |
| Fasteners | Comfort fasteners |
| Handles | Sprung drop handles |
| Integrated wheels | No |
| Material | Aluminium |
| Material of the stacking corners | Aluminium |
| Seal | foamed lid seal |
| Stacking corners | Yes |
| Warranty | 10 years |

## PRODUCT VARIANTS

| | 40835 | 40677 | 40810 | 40568 | 40678 | 40564 |
|---|---|---|---|---|---|---|
| Corner beading | No | Yes | No | Yes | Yes | Yes |
| Internal dimensions L x W x H | 350 mm × 250 mm × 150 mm | 350 mm × 250 mm × 310 mm | 550 mm × 350 mm × 150 mm | 550 mm × 350 mm × 220 mm | 550 mm × 350 mm × 310 mm | 550 mm × 350 mm × 380 mm |
| Matching foam lining | 43860 | 43861 | 43862 | 43863 | 43864 | 43865 |
| Max. gross weight dangerous goods permission | 26 kg | 45 kg | 60 kg | 65 kg | 70 kg | 75 kg |
| Outside dimensions max. L x W x H | 400 mm × 300 mm × 180 mm | 400 mm × 300 mm × 340 mm | 600 mm × 400 mm × 180 mm | 600 mm × 400 mm × 250 mm | 600 mm × 400 mm × 340 mm | 600 mm × 400 mm × 410 mm |
| Peripheral beading | No | No | No | No | Yes | Yes |
| Volume | 13 l | 27 l | 29 l | 42 l | 60 l | 73 l |
| Weight | 2.6 kg | 3.1 kg | 4.2 kg | 4.8 kg | 5 kg | 5.3 kg |

| | 40849 | 40859 | 40836 | 40837 | 40839 | 40841 |
|---|---|---|---|---|---|---|
| Corner beading | Yes | Yes | Yes | Yes | Yes | Yes |
| Internal dimensions L x W x H | 550 mm × 550 mm × 220 mm | 550 mm × 550 mm × 380 mm | 550 mm × 550 mm × 580 mm | 600 mm × 430 mm × 450 mm | 600 mm × 560 mm × 440 mm | 690 mm × 460 mm × 380 mm |
| Matching foam lining | 43866 | 43867 | 43868 | 43869 | 43871 | 43873 |
| Max. gross weight dangerous goods permission | 65 kg | 75 kg | 94 kg | 70 kg | 83 kg | 71 kg |
| Outside dimensions max. L x W x H | 600 mm × 600 mm × 250 mm | 600 mm × 600 mm × 410 mm | 600 mm × 600 mm × 610 mm | 650 mm × 480 mm × 480 mm | 650 mm × 610 mm × 470 mm | 740 mm × 510 mm × 410 mm |
| Peripheral beading | No | Yes | Yes | Yes | Yes | Yes |
| Volume | 66 l | 115 l | 175 l | 116 l | 148 l | 121 l |
| Weight | 5.6 kg | 6.6 kg | 7.8 kg | 6.5 kg | 7.4 kg | 6.9 kg |

| | 40842 | 40843 | 40565 | 40566 | 40844 | 40845 |
|---|---|---|---|---|---|---|
| Corner beading | Yes | Yes | Yes | Yes | Yes | Yes |
| Internal dimensions L x W x H | 690 mm × 640 mm × 340 mm | 690 mm × 640 mm × 430 mm | 750 mm × 550 mm × 380 mm | 750 mm × 550 mm × 580 mm | 780 mm × 480 mm × 520 mm | 900 mm × 480 mm × 400 mm |
| Matching foam lining | 43874 | 43875 | 43877 | 43878 | 43879 | 43880 |
| Max. gross weight dangerous goods permission | 84 kg | 100 kg | 102 kg | 126 kg | 103 kg | 93 kg |
| Outside dimensions max. L x W x H | 740 mm × 690 mm × 370 mm | 740 mm × 690 mm × 460 mm | 800 mm × 600 mm × 410 mm | 800 mm × 600 mm × 610 mm | 830 mm × 530 mm × 550 mm | 950 mm × 530 mm × 430 mm |
| Peripheral beading | Yes | Yes | Yes | Yes | Yes | Yes |
| Volume | 150 l | 190 l | 157 l | 239 l | 195 l | 173 l |
| Weight | 8 kg | 8.6 kg | 10 kg | 12 kg | 11.1 kg | 11 kg |

| | 40846 | 40567 | 40847 | 40580 | 40848 | 40875 |
|---|---|---|---|---|---|---|
| Corner beading | Yes | Yes | No | Yes | Yes | Yes |
| Internal dimensions L x W x H | 900 mm × 640 mm × 450 mm | 950 mm × 450 mm × 380 mm | 1.150 mm × 350 mm × 150 mm | 1.150 mm × 750 mm × 480 mm | 1.350 mm × 400 mm × 220 mm | 1.550 mm × 550 mm × 465 mm |
| Matching foam lining | 43881 | 43882 | 43887 | 43884 | 43888 | 43885 |
| Max. gross weight dangerous goods permission | 115 kg | 65 kg | 50 kg | 183 kg | 65 kg | 150 kg |
| Outside dimensions max. L x W x H | 950 mm × 690 mm × 480 mm | 1.000 mm × 500 mm × 410 mm | 1.200 mm × 400 mm × 180 mm | 1.200 mm × 800 mm × 510 mm | 1.400 mm × 450 mm × 250 mm | 1.600 mm × 600 mm × 495 mm |
| Peripheral beading | Yes | Yes | No | Yes | No | Yes |
| Volume | 259 l | 162 l | 60 l | 414 l | 119 l | 396 l |
| Weight | 13.4 kg | 10.9 kg | 7.5 kg | 20 kg | 9.5 kg | 23.5 kg |

| | 40876 |
|---|---|
| Corner beading | Yes |
| Internal dimensions L x W x H | 1.650 mm × 750 mm × 670 mm |
| Matching foam lining | 43886 |
| Max. gross weight dangerous goods permission | 200 kg |
| Outside dimensions max. L x W x H | 1.700 mm × 800 mm × 700 mm |
| Peripheral beading | Yes |
| Volume | 829 l |
| Weight | 30 kg |

## ACCESSORIES AND SPARE PARTS

### ACCESSORIES 23



**Add-on castors**
SKU 40738



**Adjustable aluminium divider set**
SKU 40864 · 40865 · 40866



**Anchoring cable, stainless steel**
SKU 375891 · 41838



**Attaché insert**
SKU 40626



**Bag with slide-type seal**
SKU 43831



**Clip-On Trunnion Set**
SKU 40741 · 40742



**Dangerous Goods Approval**
SKU 926000



**Foam lining**
SKU 43860 · 43861 · 43862 · +22



**Inside pocket with crosswise divider**
SKU 41823 · 41829 · 41830 · +1




**Insulation insert**
SKU 43825



**Lid pocket**
SKU 41820 · 41821



**Lifting gear**
SKU 40744 · 40745 · 40746



**Lock Set**
SKU 40832 · 40833



**Partition Set**
SKU 40730



**Pick 'n' Pluck foam set**
SKU 40735 · 43854 · 40736 · +1

**Shackle lock**
SKU 46989



**Supplementary kit for trolley**
SKU 40740



**Toolbag**
SKU 40627



**Trolley**
SKU 40739



**TSA shackle lock**
SKU 46789



**W 150 dolly trolley**
SKU 40607 · 40608



**W 152 dolly trolley**
SKU 40680



**W 154 heavy-load dolly trolley**
SKU 45097

**ZARGES GMBH**
Zargesstraße 7
82362 Weilheim

Tel: +49 (0)881-687-100
Fax: +49 (0)881-687-500
zarges@zarges.de

www.zarges.com
Effective 11/1/2026
Subject to change or error.