

Eurobox

The sturdy and lightweight transport and storage solution featuring distinctive cyan-colored corners and a wide range of accessories.

Product description

- Secure stacking thanks to stacking corners made of impact-resistant cyan-colored plastic.
- The all-round foamed seal in the lid is highly durable and offers protection against dust and water splashes.
- A whole host of quality features ensure the product is sturdy and has a long service life, including fully welded profiles, corner beads and full rivets.
- Ergonomic handling thanks to ZARGES Comfort handles, with strength up to 30 kg, and ZARGES Comfort buckles with an extremely long service life.
- Peripheral foamed seal in the lid for protection against dust and splashwater.
- Fitted with two sturdy lid holding straps.
- ZARGES Comfort fastener for ergonomic operation and an extremely long service life.
- ZARGES Comfort Handles for ergonomic handling.
- Solid workmanship for a long service life and the highest stacking and carrying loads with low dead weight.
- Matched to pallet dimensions according to DIN 15 141.
- Sturdy aluminium universal box.
- Profile-section joints fully welded.
- High degree of resistance to corrosion thanks to





stainless steel fittings.

- Corner beads for additional dimensional stability.
- Edge, lid and base profile frames made of fully welded aluminium sections for high stability.
- Fasteners can be retrofitted with additional spring protection against bursting open.
- Snap fasteners: can be secured with a plug lock, lead seals, protection against bursting open or a padlock (max. shackle thickness 6 mm).

Hints and special features

Clear opening dimensions are approximately 30 mm smaller than the internal dimensions (length and width).

Product features

Colour of the stacking corners	cyan
Corner beading	Yes
Fasteners	Comfort fasteners
Handles	Sprung drop handles
Integrated wheels	No
Material	Aluminium
Material of the stacking corners	Plastic
Peripheral beading	No
Seal	foamed lid seal
Stacking corners	Yes



Product variants

	40700	40701	40702	40703	40711	40704
Internal dimensions L x W x H	350 mm x 250 mm x 310 mm	550 mm x 350 mm x 220 mm	550 mm x 350 mm x 310 mm	550 mm x 350 mm x 380 mm	640 mm x 230 mm x 280 mm	750 mm x 350 mm x 310 mm
Outside dimensions max. L x W x H	400 mm x 300 mm x 340 mm	600 mm x 400 mm x 250 mm	600 mm x 400 mm x 340 mm	600 mm x 400 mm x 410 mm	690 mm x 280 mm x 310 mm	800 mm x 400 mm x 340 mm
Volume	27 l	42 l	60 l	73 l	41 l	81 l
Weight	3 kg	4.7 kg	4.9 kg	5.2 kg	4.5 kg	6.1 kg

	40705	40706	40709	40710
Internal dimensions L x W x H	750 mm x 550 mm x 380 mm	750 mm x 550 mm x 580 mm	1.150 mm x 750 mm x 480 mm	1.150 mm x 250 mm x 220 mm
Outside dimensions max. L x W x H	800 mm x 600 mm x 410 mm	800 mm x 600 mm x 610 mm	1.200 mm x 800 mm x 510 mm	1.200 mm x 300 mm x 250 mm
Volume	157 l	239 l	414 l	63 l
Weight	7.5 kg	8.9 kg	13 kg	6.3 kg

ZARGES GmbH Zargesstraße 7 82362 Weilheim	Tel: +49 (0)881-687-100 Fax: +49 (0)881-687-500 zarges@zarges.de	www.zarges.com Effective 5/14/2026 Subject to change or error.
---	--	--