

## K 470 universal case, IP 65

TÜV Süd-certified box with pressure equalization valve—ideal for all applications requiring enhanced protection against moisture, water spray, and dust.

### Product description

- TÜV Süd-certified box with pressure equalization valve—ideal for all applications requiring enhanced protection against moisture, water spray, and dust.
- IP 65 protection rating in accordance with DIN EN 60529, achieved by a foamed gasket integrated into the cover.
- 3 standard sizes ex stock, customised versions available on request.
- Also available with approval for the transportation of hazardous goods.
- Extra thick 1.5-mm sheet metal for all K 470 containers from basic dimensions of 750 x 550 mm.
- Automatic pressure-equalizing diaphragm.
- TÜV SÜD-certified.
- Available for most K 470 models.

### Hints and special features

UN approval for the transportation of hazardous goods possible at additional charge.

Clearance measurement approx. 30mm (1.2") less than internal dimension (length and width). Special sizes on request.

### Product features



Certification	TÜV Süd - IP 65
Colour of the stacking corners	Natural aluminium
Corner beading	Yes
Fasteners	Comfort fasteners
Integrated wheels	No
Material	Aluminium
Material of the stacking corners	Aluminium
Number of handles	2
Peripheral beading	Yes
Protection class	IP65:
Seal	foamed lid seal
Stacking corners	Yes
Warranty	10 years

## Product variants

	366206	366217	366218
Internal dimensions L x W x H	550 mm x 350 mm x 380 mm	750 mm x 550 mm x 380 mm	750 mm x 550 mm x 580 mm
Max. gross weight dangerous goods permission	75 kg	102 kg	126 kg
Outside dimensions max. L x W x H	600 mm x 400 mm x 410 mm	800 mm x 600 mm x 410 mm	800 mm x 600 mm x 610 mm
Volume	73 l	157 l	239 l
Weight	5.3 kg	10 kg	12 kg



ZARGES

ZARGES GmbH

Zargesstraße 7

82362 Weilheim

Tel: +49 (0)881-687-100

Fax: +49 (0)881-687-500

[zarges@zarges.de](mailto:zarges@zarges.de)

[www.zarges.com](http://www.zarges.com)

Effective 5/11/2026

Subject to change or error.